
AEROSPACE MEDICINE AND BIOLOGY

S1 001 SP7011(393 940928 S090569 ANASA
CENTER FOR AEROSPACE INFORMATION
ACCESSIONING
BOO ELKRIDGE LANDING ROAD
LINTHICUM HEIGHTS MD 210902934

A CONTINUING BIBLIOGRAPHY WITH INDEXES



The NASA STI Program ... in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program plays a key part in helping NASA maintain this important role.

The NASA STI Program provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program is also NASA's institutional mechanism for disseminating the results of its research and development activities.

Specialized services that help round out the Program's diverse offerings include creating custom thesauri, translating material to or from 34 foreign languages, building customized databases, organizing and publishing research results ... even providing videos.

For more information about the NASA STI Program, you can:

- Phone the NASA Access Help Desk at (301) 621-0390
- Fax your question to the NASA Access Help Desk at (301) 621-0134
- E-mail your question via the Internet to help@sti.nasa.gov
- Write to:

NASA Access Help Desk NASA Center for AeroSpace Information 800 Elkridge Landing Road Linthicum Heights, MD 21090-2934

AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES

This publication was prepared by the NASA Center for AeroSpace Information, 800 Elkridge Landing Road, Linthicum Heights, MD 21090-2934, (301) 621-0390.

INTRODUCTION

This issue of *Aerospace Medicine and Biology* (NASA SP-7011) lists 29 reports, articles, and other documents recently announced in the NASA STI Database. The first issue of *Aerospace Medicine and Biology* was published in July 1964.

Accession numbers cited in this issue include:

Scientific and Technical Aerospace Reports (STAR) (N-10000 Series) Open Literature (A-60000 Series) N94-35226 — N94-36519 A94-60256 — A94-61273

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied in most cases by an abstract. The listing of the entries is arranged by *STAR* categories 51 through 55, the Life Sciences division. The citations include the original accession numbers from the respective announcement journals.

Seven indexes—subject, personal author, corporate source, foreign technology, contract number, report number, and accession number—are included.

A cumulative index for 1994 will be published in early 1995.

Information on availability of documents listed, addresses of organizations, and CASI price schedules are located at the back of this issue.

TABLE OF CONTENTS

Category 51	Life Sciences (General)	261
Includes	Aerospace Medicine physiological factors; biological effects of radiation; and effects of ssness on man and animals.	262
	Behavioral Sciences psychological factors; individual and group behavior; crew training and on; and psychiatric research.	264
Category 54 Includes	Man/System Technology and Life Support human engineering; biotechnology; and space suits and protective clothing.	264
Category 55 Includes	Space Biology exobiology; planetary biology; and extraterrestrial life.	N.A.
-		
	or Index	
•	ce Index	
_	ology Index	
	er Index	
-	Index	
Accession Nun	nber Index	G-1 ADD-1
ADDADAIY		$\Delta UU_{-}1$

TYPICAL REPORT CITATION AND ABSTRACT

NASA SPONSORED

ON MICROFICHE

ACCESSION NUMBER → N94-11045*#

Pennsylvania State Univ., Hershey. Coll. of ← CORPORATE SOURCE

TITLE \rightarrow EFFECTS OF CSF HORMONES AND IONIC COMPOSITION ON SALT/WATER METABOLISM Final Technical Report, 1 Mar.

1981 - 31 Dec. 1992

AUTHOR → WALTER B. SEVERS 31 Dec. 1992 32 p

← PUBLICATION DATE

CONTRACT NUMBER \rightarrow (Contract NCC2-127)

REPORT NUMBERS → (NASA-CR-193232; NAS 1.26:193232) Avail: CASI HC A03/MF ← AVAILABILITY AND

PRICE CODE

A01

The consequences of headward fluid shifts during manned spaceflight was studied. Such shifts were recognized early by both U.S. and Soviet scientists because of signs and symptoms referable to the head. Some of these include disturbed vision, puffiness in the face and periorbital areas, headache, vestibular dysfunction, and distended jugular veins. We posited that the fluid shift had an immediate effect on the brain and a long-term action requiring a neural interpretation of the flight environment. This would re-adjust both efferent neural as well as hormonal mechanisms to sustain cardiovascular and fluid/electrolyte balance consonent with survival in microgravity. Work along these lines is summarized. A synopsis of some of the main research is presented. The following topics were studied: (1) angiotensin and vasopressin action in the central nervous system; (2) intracranial pressure control; (3) research on subcommissural organ; and (4) research on the eye.

Author (revised)

TYPICAL JOURNAL ARTICLE CITATION AND ABSTRACT

ACCESSION NUMBER → A94-60203

TITLE \rightarrow ESTIMATION OF THE LOW-EARTH-ORBIT DEBRIS

POPULATION AND DISTRIBUTION

AUTHORS → KYLE T. ALFRIEND General Research Corp., VA and ← AUTHORS'AFFILIATION

D. LAURIE LEWIS Journal of Spacecraft and Rockets (ISSN 0022- - JOURNAL TITLE

4650) vol. 31, no. 1 January-February 1994 p. 48-53 refs

← PUBLICATION DATE

REPORT NUMBER → (BTN-94-E!X94311322893) Copyright

tion is also developed.

In this paper, an algorithm for estimating the low-Earth-orbit space object population and distribution from measurements taken by a vertical, staring narrow beam radar is developed and validated. The radar measures the altitude, inclination, and radar cross section of each object which passes through the beam. The effects of the assumptions made in developing the algorithm and measurement errors are discussed. An estimate of the operational time of the radar needed to achieve a specified accuracy in the space object popula-

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 393)

October 1994

51 LIFE SCIENCES (GENERAL)

A94-60694

DISCRIMINATION OF TASTE OF AMINO ACIDS WITH A **MULTICHANNEL TASTE SENSOR**

YUKIKO KIKKAWA Kyushu Univ., Fukuoka (Japan), KIYOSHI TOKO, TETSUYA MATSUNO, and KAORU YAMAFUJI Japanese Journal of Applied Physics, Part 1: Regular Papers & Short Notes & Review Papers (ISSN 0021-4922) vol. 32, no. 12A December 1993 p. 5731-5736 refs (BTN-94-EIX94301314445) Copyright

Taste of amino acids was studied using a multichannel taste sensor with lipid membranes as the transducer of taste substances. The study on taste of amino acids has drawn much attention so far because each of them elicits complicated mixed taste. The response of the sensor to amino acids was compared with results of panel tests, and response potentials from the eight membranes were transformed to terms representing five basic tastes by multiple linear regression. This expression of five basic tastes reproduced human taste sensation very well. The taste was expressed more quantitatively by assuming new channels, which are represented by multiplication of the response potentials of the original channels. This new set of channels implies the existence of processes involving the nervous system which is connected with taste cells. Author (EI)

A94-61173

MULTI-RELAXATION FD(EXP 2)-TD METHOD FOR MODELING DISPERSION IN BIOLOGICAL TISSUES

ROLANDO PONTALTI Centro Materiali e Biofisica Medica, Trento (Italy), LUCA CRISTOFORETTI, RENZO ANTOLINI, and LORENZA CESCATTI IEEE Transactions on Microwave Theory and Techniques (ISSN 0018-9480) vol. 42, no. 3 March 1994 p. 526-528 refs

(BTN-94-EIX94311330883) Copyright

Pulse excitation in FD-TD provides multifrequency results with a single run of the code. The introduction of the frequency dependent FD-TD ((FD)(exp 2)-TD) has also recently provided a means to deal with dispersive materials on condition that they had a first order permittivity. A multirelaxation approach is presented to widen the (FD)(exp 2)-TD applicability to materials with more complex permittivity such as biological tissues.

N94-35232* National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX. MULTI-CELLULAR, THREE-DIMENSIONAL LIVING

MAMMALIAN TISSUE Patent

THOMAS J. GOODWIN, inventor (to NASA) and DAVID A. WOLF, inventor (to NASA) 3 May 1994 7 p Filed 3 Sep. 1992 Continuation of US-Patent-Appl-SN-317931, filed 2 Mar. 1989 which is a continuation-in-part of US-Patent-Appl-SN-213558, filed 30 Jun. 1988 which is a continuation-in-part of US-Patent-Appl-SN-213559, filed 30 Jun. 1988

(NASA-CASE-MSC-21560-2; US-PATENT-5,308,764; US-PATENT-

APPL-SN-939791; US-PATENT-APPL-SN-317931; US-PATENT-APPL-SN-213558; US-PATENT-APPL-SN-213559; US-PATENT-CLASS-435-240.24; US-PATENT-CLASS-435-240.2; US-PATENT-CLASS-435-240.25; US-PATENT-CLASS-435-1) Avail: US Patent and Trademark Office

The present invention relates to a multicellular, three-dimensional, living mammalian tissue. The tissue is produced by a coculture process wherein two distinct types of mammalian cells are co-cultured in a rotating bioreactor which is completely filled with culture media and cell attachment substrates. As the size of the tissue assemblies formed on the attachment substrates changes, the rotation of the bioreactor is adjusted accordingly.

Official Gazette of the U.S. Patent and Trademark Office

N94-35257*# Washington State Univ., Pullman, WA. Inst. of Biological Chemistry.

EFFECT OF MICROGRAVITY ON PLANT GROWTH Final Report NORMAN G. LEWIS 1994 3 p

(Contract NAG10-0086)

(NASA-CR-196004; NAS 1.26:196004) Avail: CASI HC A01/MF A01

The overall goal of this research is to determine the effect of microgravity proper on plant growth (metabolism and cell wall formation). In addressing this goal, the work conducted during this grant period was divided into three components: analyses of various plant tissues previously grown in space aboard MIR Space Station; analyses of wheat tissues grown on Shuttle flight STS-51; and Phenylpropanoid metabolism and plant cell wall synthesis (earthbased investigations). Derived from text

N94-35366* National Aeronautics and Space Administration. Lyndon B. Johnson Space Center, Houston, TX.

HIGH DENSITY CELL CULTURE SYSTEM Patent

GLENN F. SPAULDING, inventor (to NASA) 19 Jul. 1994 7 p Filed 23 Dec. 1992 Supersedes N93-19037 (31 - 6, p 1593)

(NASA-CASE-MSC-22060-1; US-PATENT-5,330,908; US-PATENT-ÀPPL-SN-996263; US-PATENT-CLASS-435-240.24; US-PATENT-CLASS-435-240.25; US-PATENT-CLASS-435-286; US-PATENT-CLASS-435-296; US-PATENT-CLASS-435-312; US-PATENT-CLASS-435-313; US-PATENT-CLASS-435-818) Avail: US Patent and Trademark Office

An annular culture vessel for growing mammalian cells is constructed in a one piece integral and annular configuration with an open end which is closed by an endcap. The culture vessel is rotatable about a horizontal axis by use of conventional roller systems commonly used in culture laboratories. The end wall of the endcap has tapered access ports to frictionally and sealingly receive the ends of hypodermic syringes. The syringes permit the introduction of fresh nutrient and withdrawal of spent nutrients. The walls are made of conventional polymeric cell culture material and are subjected to neutron bombardment to form minute gas permeable perforations in the walls.

Official Gazette of the U.S. Patent and Trademark Office

N94-35601 Direction des Recherches, Etudes et Techniques, Paris (France). Centre de Documentation de l'Armement. STRESS AND BRAIN PROTEIN SYNTHESIS Final Report

[STRESS ET SYNTHESE PROTEIQUE CEREBRALE]

G. BOBILLIER 1994 33 p In FRENCH

(PB94-170750) Avail: Issuing Activity (National Technical Information Service (NTIS))

This study investigates the effect of adrenalectomy and peripheral administration of glucocorticoids (GC's) on protein synthesis in rat brain. The researchers began by fully validating the L-((35)S) Methionine method, forcing them to abandon a study on the effect of GC's on energy metabolism in the brain because of technical difficulties. They found that GC's have a tonic, generalized, and persistent inhibiting effect on brain protein synthesis in rats. Glucocorticoids are not directly responsible for inducing brain protein synthesis during the stress alarm phase, but rather intervene during the adaptation phase to restore and maintain the normal basal rate of protein synthesis activity in the brain. These neuroendocrine factors likely play a major role in relations between the brain and peripheral system, and vice-versa.

N94-36101 National Inst. of Radiological Sciences, Chiba (Japan). Science and Technology Agency.

ACTIVITIES OF NATIONAL INSTITUTE OF RADIOLOGICAL SCIENCES Annual Report, Apr. 1991 - Mar. 1992

Jul. 1992 113 p Limited Reproducibility: More than 20% of this

document may be affected by microfiche quality (DE94-727636; NIRS-31) Avail: CASI HC A06

This annual report is a compilation of the research activities and achievement in the National Institute of Radiological Sciences (NIRS) in Japan during the fiscal year 1991 (from April 1991 through March 1992). The research covers a wide range of radiological sciences from molecular to environmental studies and medicine including engineering. Topics consist of physics, chemistry, biomedical science, clinical research, and environmental sciences, covering a total of 69 titles. A list of publications by staff members, activities of research divisions, and organization chart of the NIR are given in the Appendix.

N94-36269 California Univ., Berkeley. Lawrence Berkeley Lab, CA.

A LOW TEMPERATURE SCANNING FORCE MICROSCOPE FOR BIOLOGICAL SAMPLES Ph.D. Thesis

M. G. L. GUSTAFSSON (California Univ., Berkeley, CA.) May 1993 200 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(Contract DE-AC03-76SF-00098)

(DE94-011357; LBL-34182) Avail: CASI HC A09

An SFM has been constructed capable of operating at 143 K. Two contributions to SFM technology are described: a new method of fabricating tips, and new designs of SFM springs that significantly lower the noise level. The SFM has been used to image several biological samples (including collagen, ferritin, RNA, purple membrane) at 143 K and room temperature. No improvement in resolution resulted from 143 K operation; several possible reasons for this are discussed. Possibly sharper tips may help. The 143 K SFM will allow the study of new categories of samples, such as those prepared by freeze-frame, single molecules (temperature dependence of mechanical properties), etc. The SFM was used to cut single collagen molecules into segments with a precision of less than or equal to 10 nm.

N94-36481# Argonne National Lab., IL.
FEMTOSECOND TRANSIENT ABSORPTION STUDIES OF
THE LIGHT HARVESTING CHL A/B PROTEIN COMPLEX OF

PHOTOSYSTEM 2 IN HIGHER PLANTS

T. BITTNER, M. R. WASIELEWSKI, and K. D. IRRGANG 1994 4 p Presented at the 9th International Conference on Ultrafast Phenomena, Dana Point, CA, 1-5 May 1994 (Contract W-31-109-ENG-38)

(DE94-009684; ANL/CHM/CP-81874; CONF-940593-6) Avail: CASI HC A01/MF A01

The first steps of the primary reactions in photosynthesis are the generation of electronically excited states (excitons) by light absorption within pigment protein complexes referred to as light harvesting antenna complexes and rapid exciton migration to the photoactive pigments embedded into the reaction center complex where the transformation into electrochemical free energy takes place. In green algae and higher plants the light harvesting Chl a/b complex associated with Photosystem 2 (LHC2) serves as the main antenna complex. In this communication we present intensity dependent transient absorption measurements with fs-time resolution in isolated LHC 2 preparations to address the problem of the interaction of ultrafast exciton migration and exciton-exciton annihilation.

52 AEROSPACE MEDICINE

Includes physiological factors; biological effects of radiation; and effects of weightlessness on man and animals.

A94-61012

NEW METHOD FOR EVALUATING LOCAL PULSE WAVE VELOCITY BY MEASURING VIBRATIONS ON ARTERIAL WALL

H. KANAI Tohoku Univ., Sendai, Japan, K. KAWABE, M. TAKANO, R. MURATA, N. CHUBACHI, and Y. KOIWA *Electronics Letters* (ISSN 0013-5194) vol. 30, no. 7 March 31 1994 p. 534-536 refs (BTN-94-EIX94311332188) Copyright

A new method is proposed for measuring the local pulse wave velocity (PWV), which is an index of the hardness of the aortic wall. Using the method, high spatial resolution, which is necessary in the evaluation of local hardness, is attained.

Author (EI)

N94-35345* National Aeronautics and Space Administration, Washington, DC.

AEROSPACE MEDICINE AND BIOLOGY: A CONTINUING BIBLIOGRAPHY WITH INDEXES (SUPPLEMENT 391)
Aug. 1994 42 p

(NASA-SP-7011(391); NAS 1.21:7011(391)) Avail: CASI HC A03
This bibliography lists 75 reports, articles, and other documents introduced into the NASA Scientific and Technical Information System during Aug. 1994. Subject coverage includes: aerospace medicine and physiology, life support systems and man/system technology, protective clothing, exobiology and extraterrestrial life, planetary biology, and flight crew behavior and performance.

Author

N94-36217 Institut National de la Sante et de la Recherche Medicale, Paris (France). Lab. de Physiologie des Adaptations. TYPOLOGY OF SKELETAL MUSCLE IN HUMANS UNDERGOING INTENSE PHYSICAL TRAINING OR PROLONGED AKINESIA Final Report [TYPOLOGIE DU MUSCLE STRIE CHEZ L'HOMME EN SITUATION D'ENTRAINEMENT PHYSIQUE INTENSE OU D'AKINESIE PROLONGEE]

M. RIEU and A. X. BIGARD 1994 44 p In FRENCH Sponsored by Direction des Recherches, Etudes et Techniques (PB94-170644) Avail: Issuing Activity (National Technical Information Service (NTIS))

There were three parts to this study: experimental attempts to use the micropuncture biopsy technique for animals on humans; a preliminary study of the muscular typology of severe burn patients and how it changes over time; and an analysis of the effects of muscular electrostimulation on the typology of musculus vastus externus in athletes. The biopsy technique was found to be yield usable muscle samples after some practice. The particularly low levels of muscular glycogen measured in what were relatively light burn cases were surprising, and will have to be confirmed by a larger, longer-term study. A relatively low proportion of type I fibers, and a high proportion of type IIB fibers, was discovered. Finally, the authors found that training programs based on electrostimulation

52

often used to improve muscular strength modify neither the size nor topology of skeletal muscle. NTIS

N94-36220 Centre d'Etudes et de Recherches Bio-Physiologiques Appliquees a la Marine, Toulon (France).

EFFECTS OF 5 MPA HELIOX PRESSURE ON DOPAMINER GIC PATHWAY: AN IN VIVO NEUROCHEMICAL STUDY [ETUDE NEUROCHIMIQUE DE L'ACTION DES HAUTES PRESSIONS D'HELIUM PAR L'ADAPTATION DE LA TECHNIQUE DE MICRODIALYSE INTRACERABRALE A L'HYPERBARIE]

J. J. RISSO and M. BARTHELEMY-REQUIN Dec. 1992 31 p In FRENCH

(Contract DRET-88-1011)

(PB94-170693; CERB-92-12) Avail: Issuing Activity (National Technical Information Service (NTIS))

The laboratory adapted the intracranial microdialysis technique to hyperbaric conditions. Free-moving rats were stereotaxically implanted in the anterior caudate nucleus with a microdialysis probe to measure dopamine, dihydroxyphenylacetic acid, and homovanillic acid levels during different phases of a simulated dive up to 5.1 MPa. Compression was found to increase extracellular dopamine and dihydroxphenylacetic acid concentrations, except in homovanillic acid. This represents a specific effect on high pressure on the dopaminergic pathway, and may be due to an increase of dopamine synthesis through a direct action on D2 autoreceptors.

NTI

N94-36223# Midwest Research Inst., Kansas City, MO. FURTHER STUDIES OF 60-HZ EXPOSURE EFFECTS ON HUMAN FUNCTION

C. GRAHAM and H. D. COHEN 29 Mar. 1994 8 p (Contract DE-FG01-89CE-34025)

(DE94-010192; DOE/CE-34025/T12) Avail: CASI HC A02/MF A01

The objective of the exploratory study was to determine whether the electric or magnetic field, presented separately in an intermittent fashion, would produce the same pattern of heart rate increases and decreases seen in the original intermittent exposure study. In addition, time of day and baseline heart rate were explored in an attempt to clarify design issues that arose from previous studies. Twenty-four healthy young men 21 to 35 years of age participated in the study. Half were exposed to a 9-kV/m electric field and half to a 200-mG magnetic field. Within each of these groups, half were exposed in the morning and half in the afternoon.

N94-36338# Aerospace Medical Research Labs., Brooks AFB, TX. Sustained Operations Branch.

DETERMINANTS OF SUBJECTIVE FATIGUE FOR C-141 CREWS DURING OPERATION DESERT STORM

JONATHAN FRENCH, KELLY J. NEVILLE, WILLIAM F. STORM, ROGER U. BISSON, and PATRICIA BOLL In AGARD, Recent Advances in Long Range and Long Endurance Operation of Aircraft 12 p Nov. 1993

Copyright Avail: CASI HC A03/MF A03

As aircraft flight endurance capabilities increase, the importance of attenuating fatigue during long duration missions increases. Profile of Mood States (POMS) data were used to document cumulative fatigue and to explore the relationships between mission characteristics and changes in mood of C-141 aircrew members during Operation Desert Storm. In particular, this research assessed the effects of increasing the limit of 30-day cumulative flight for long duration transport crews from 125 to 150 hours. POMS data were collected at the beginning of the legal for alert (LFA) and crew rest (CR) intervals. Correlational analyses were used to compare POMS dimensions (anger, depression, confusion, fatigue, vigor, tension) with 13 flight and sleep schedule variables. During both LFA and CR

intervals, 30-day cumulative flight hours were not related to subjective mood dimensions. However, when 30 day cumulative flight hours exceeded 125 hours, POMS vigor was decreased by recent flight and sleep hours. Therefore, attending to recent sleep and flight history may predict decrements in vigor when operational pressures require exceeding the normal cumulative flight hours per month. A first attempt to construct a crew rest equation is proposed that accounts for these factors. This equation is based on a stepwise multiple regression procedure which revealed that vigor and fatigue were best predicted by cumulative 24-hour sleep and 48-hour flight time. In addition to improved crew rest schedules, dedicated crew rest facilities and sleep hygiene instruction are recommended before flying long duration missions.

N94-36339# Centre d'Etudes et de Recherches de Medecine Aerospatiale, Bretigny sur Orge (France).

SOMÉ SOLUTIONS TO REDUCE THE HUMAN EFFECTS OF EXTENDED OPERATION TIMES [QUELQUES SOLUTIONS POUR REDUIRE LES EFFETS SUR L'HOMME DES OPERATIONS DE LONGUE DUREE]

D. LAGARDE and D. BATEJAT In AGARD, Recent Advances in Long Range and Long Endurance Operation of Aircraft 17 p Nov. 1993 In FRENCH

Copyright Avail: CASI HC A03/MF A03

Mostly, in aeronautical environment, the extended operation times assume the continued operations aspect with long duration flights, sometimes transmeridian. In this operations setting, the fast and repeated passing of several time zones is attended with the classical symptomatology of 'jet-lag', intensified by the conditions of the mission. The appearance and the extent of 'jet-lag' are variable according to the flight and the involved subject characteristics; nevertheless, the psychomotor performances decrease is a constant factor of these disorders. In order to investigate with a greater accuracy this aspect in laboratory, the authors present a study model represented by the STRES battery, an ensemble of seven psychomotor tests, recommended by the working group n degrees 12 of the AGARD/NATO, that allows the evaluation of the whole psychomotor register of a subject situated in stress environmental conditions, in a broad meaning. Two examples of these tests to sleep deprivation states are introduced so as to illustrate the sensibility and the interest of implementing this test battery. In view of the disorder's penalizing effect, several authors have postulated solutions in order to suppress or at least to reduce the duration and importance of such symptoms. Thus, some accurate instructions have been recommended relating to the maximum workload condition that can not be exceeded and to the dual aircrew. Others have enjoined to be synchronized with the new time table before departure or to strengthen the social 'zeitgeber' at arrival. Phototherapy, naps, dietetic measures, and physical exercise are also a part of the suggested steps. The pharmacological approach with the use of caffeine, hypnotics, and more recently melatonin have a new lease of interest especially with the appearance of new awakening drugs, as powerful as amphetamines but without their secondary effects. Thus, after the justification of the stimulating drugs' use in the setting of wake sleep rhythms desynchronization, the authors present concisely the modafinil, main representative of this new molecule category. Then, from examples from the laboratory, on occasion of psychomotor performance evaluation with the STRES battery on subjects under sleep deprivation, or on field, they present some results obtained after dispensation of this drug. At the end of this review and of the experimental results, it appears that the extended operation times induce wake-sleep rhythm and psychomotor performances disorders. Numerous possibilities, complementary, exist in order to reduce the observed disorders; none of them appears alone sufficient. Nevertheless, the new awakening drugs appearance, on account of their great efficiency and their whole inocuity, should constitute a major element in biological rhythms resynchronization in the future. Author (revised)

53

BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

N94-35379*# Massachusetts Inst. of Tech., Cambridge. Man Vehicle Lab.

VISUAL-VESTIBULAR INTERACTION Final Report LAURENCE R. YOUNG and D. MERFELD Jun. 1994 9 p (Contract NAG2-445)

(NASA-CR-196097; NAS 1.26:196097) Avail: CASI HC A02/MF A01

Significant progress was achieved during the period of this grant on a number of different fronts. A list of publications, abstracts, and theses supported by this grant is provided at the end of this document. The completed studies focused on three general areas: eye movements induced by dynamic linear acceleration, eye movements and vection reports induced by visual roll stimulation, and the separation of gravito-inertial force into central estimates of gravity and linear acceleration.

N94-35528 Army Aeromedical Research Lab., Fort Rucker, AL. ACCOMMODATION DURING INSTRUMENT VIEWING CAN BE INFLUENCED BY KNOWLEDGE OF OBJECT DISTANCE Final Report

JOHN C. KOTULAK, STEPHEN E. MORSE, and ROGER W. WILEY Mar. 1994 14 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(AD-A278987; USAARL-94-13) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

The level of accommodation during instrument viewing is influenced by the perceived nearness of the object in subjects with proximal, but not distal, dark focuses. The topics covered include the following: instrument myopia, accommodations night vision goggles, and known object distance.

N94-36215 Direction des Recherches, Etudes et Techniques, Paris (France). Direction Scientifique Soutien a la Recherche.
ATTENTION AND SIGNAL DETECTION. A STUDY OF ATTENTION DIVIDED BETWEEN VISUAL AND AUDITORY SIGNALS [ATTENTION ET DETECTION DE SIGNAUX. ETUDE DE L'ATTENTION DIVISEE ENTRE VISION ET AUDITION]

A. M. BONNEL 1993 42 p In FRENCH (PB94-170594) Avail: Issuing Activity (National Technical Information Service (NTIS))

In a series of dual tasks, we asked observers to divide their attention between a patch of light at the center of a screen and a pure auditory tone simultaneously transmitted through earphones. Instructions were to direct 20 percent of attention to the sound and 80 percent to the light (or vice-versa); or 50 percent to each; or, in the single control experiment, 100 percent to one. The results are interpreted in light of a hierarchical model or functional architecture in which cognitive penetrability is not operative at the most basic stages. Sensory coding during detection would be pure transduction, comparable to a computer interrupt. In identification, it would be a test, modulating sensitivity by top-down control through attention.

54

MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human engineering; biotechnology; and space suits and protective clothing.

N94-35266*# North Carolina Univ., Charlotte, NC. Dept. of Mechanical Engineering and Engineering Science.

DESIGN AND SIMULATION OF EVA TOOLS FOR FIRST SERVICING MISSION OF HST Semiannual Report, 15 Jul. 1993 - 14 Jan. 1994

DIPAK NAIK and P. H. DEHOFF 1994 77 p

(Contract NAG5-2038)

(NASA-CR-196030; NAS 1.26:196030; ME/ES-TR-94-1) Avail: CASI HC A05/MF A01

The Hubble Space Telescope (HST) was launched into nearearth orbit by the Space Shuttle Discovery on April 24, 1990. The payload of two cameras, two spectrographs, and a high-speed photometer is supplemented by three fine-guidance sensors that can be used for astronomy as well as for star tracking. A widely reported spherical aberration in the primary mirror causes HST to produce images of much lower quality than intended. A Space Shuttle repair mission in January 1994 installed small corrective mirrors that restored the full intended optical capability of the HST. The First Servicing Mission (FSM) involved considerable Extra Vehicular Activity (EVA). Special EVA tools for the FSM were designed and developed for this specific purpose. In an earlier report, the details of the Data Acquisition System developed to test the performance of the various EVA tools in ambient as well as simulated space environment were presented. The general schematic of the test setup is reproduced in this report for continuity. Although the data acquisition system was used extensively to test a number of fasteners, only the results of one test each carried on various fasteners and the Power Ratchet Tool are included in this report. Author

N94-35600 Rutherford Appleton Lab., Chilton (England).

MMI(EXP 2) DEMONSTRATOR SYSTEMS: A MULTI-MODAL
INTERFACE FOR MAN MACHINE INTERACTION WITH
KNOWLEDGE BASED SYSTEMS. DELIVERABLE D17 (TA 2)
ESPRIT PROJECT 2474 MMI(EXP 2)

M. D. WILSON Feb. 1994 105 p See also PB92-143619 Sponsored by European Strategic Program for Research and Development in Information Technology, Brussels, Belgium (PB94-170537; RAL-94-016) Avail: Issuing Activity (National Technical Information Service (NTIS))

The MMI(sup 2) project has developed two demonstrators of co-operative user interfaces to Knowledge Based Systems which employ multiple modes of interaction: natural language, command language, graphics, gesture, direct manipulation and non-verbal audio. The purpose of both demonstrators was to demonstrate multimodal interaction, to devise an architecture to support a co-operative multi-modal interface, to test the integration of the various technologies required, to define the meaning representation language required by such an architecture, and to investigate the requirements for a co-operative dialog interface. This document provides an overview of the system architecture, the development method and each of the modules in the architecture. It then provides test scripts used for each of the demonstrators which illustrate features of the co-operative human computer dialog that they support.

N94-35633*# Cincinnati Univ., OH. Dept. of Aerospace Engineering.
SELF-RESCUE STRATEGIES FOR EVA CREWMEMBERS EQUIPPED WITH THE SAFER BACKPACK
TREVOR WILLIAMS and DAVID BAUGHMAN In NASA. Goddard

Space Flight Center, Flight Mechanics/Estimation Theory Symposium, 1994 p 357-371 May 1994 Avail: CASI HC A03/MF A04

An extravehicular astronaut who becomes separated from a space station has three options available: grappling the station immediately by means of a 'shepherd's crook' device; rescue by either a second crewmember flying an MMU or a robotic-controlled MMU: or self-rescue by means of a propulsive system. The first option requires very fast response by a tumbling astronaut; the second requires constant availability of an MMU, as well as a rendezvous procedure thousands of feet from the station. This paper will consider the third option, propulsive self-rescue. In particular, the capability of the new Simplified Aid for EVA Rescue (SAFER) propulsive backpack, which is to be tested on STS-64 in Sep. 1994, will be studied. This system possesses an attitude hold function that can automatically detumble an astronaut after separation. On-orbit tests of candidate self-rescue systems have demonstrated the need for such a feature. SAFER has a total delta(v) capability of about 10 fps, to cover both rotations and translations, compared with a possible separation rate of 2.5 fps. But the delta(v) required for selfrescue is critically dependent on the delay before return can be initiated, as a consequence of orbital effects. A very important practical question is then whether the total delta(v) of SAFER is adequate to perform self-rescue for worst case values of separation speed, time to detumble, and time for the astronaut to visually acquire the station. This paper shows that SAFER does indeed have sufficient propellant to carry out self-rescue in all realistic separation cases, as well as in cases which are considerably more severe than anything likely to be encountered in practice. The return trajectories and total delta(v)'s discussed are obtained by means of an 'inertial line-of-sight targeting' scheme, derived in the paper, which allows orbital effects to be corrected by making use of the visual information available to the pilot, namely the line-of-sight direction to the station Author (revised) relative to the stars.

N94-35659 Army Aeromedical Research Lab., Fort Rucker, AL. IS INCREASED ACCOMMODATION A NECESSARY **CONDITION FOR INSTRUMENT MYOPIA? Final Report** JOHN C. KOTULAK and STEPHEN E. MORSE Mar. 1994 13 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(AD-A278962; USAARL-94-14) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

Emmetropic subjects focus optical instruments as though they were myopic when the level of accommodation with instrument DTIC viewing is no greater than it is without.

N94-35688 Microelectronics Center of North Carolina, Research Triangle Park, NC. Information Technologies Div. MODEL ENGINEERING CONCEPTS FOR AIR QUALITY MODELS IN AN INTEGRATED ENVIRONMENTAL **MODELING SYSTEM**

C. COATS, A. F. HANNA, D. HWANG, and D. W. BYUN 1993 Symposium was held 1993 Limited Reproducibility: More than 20% of this document may be affected by microfiche quality (Contract EPA-68-01-7365; EPA-R-816496)

(PB94-158623; EPA/600/A-94/036) Avail: CASI HC A03

Models-3 is an extensible environmental modeling system designed to meet the research and regulatory needs of the EPA and other users into the twenty-first century. As such, it must deal with a number of problems. These problems include: the scientific correctness, flexibility, and usability required; automating much of the complexity of planning, scheduling, and management of the computations associated with environmental studies and the massive volumes of data these studies produce; and the software engineering issues associated with developing a modular, scalable, extensive family of air quality models to be provided by the Models-3 system to its users. The paper is concerned with the last of these, the model engineering problem.

N94-35692 Air Force Inst. of Tech., Wright-Patterson AFB, OH. School of Engineering.

THE PREDICTION OF PILOT OPINION RATINGS USING OPTIMAL AND SUB-OPTIMAL PILOT MODELS M.S. Thesis CRAIG R. EDKINS Mar. 1994 221 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality (AD-A278679: AFIT/GAE/ENY/94M-2) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

This study details the development of a sub-optimal pilot model that blended the classical and optimal pilot model approaches in an attempt to achieve the advantages of each. This model used a numerical solution to the linear quadratic Gaussian problem to find the pilot gain, lead, and lag values that minimized a performance index consisting of task error and control usage. This development was conducted in four phases. First, an optimal pilot model developed by Systems Technology, Incorporated, was analyzed in detail. This analysis included a step-by-step example problem to clarify the model's logic and an in-depth sensitivity analysis of the model's parameters. Second, a ground and airborne evaluation of human pilot response was conducted using the Calspan variable stability Lear II aircraft. Primary pilot response parameters were recorded and examined using statistical and Fourier transform analysis in an attempt to provide insight into human pilot response. Third, a numerical solution to the linear quadratic Gaussian control problem that allows the compensator form to be predetermined was derived. Finally, the sub-optimal pilot model was developed and an analysis of the model's parameters was conducted.

N94-35707 Naval Air Warfare Center, Warminster, PA. Air Vehicle and Crew Systems Technology Dept.

A DATABASE TO EVALUATE ACCELERATION (+GZ) INDUCED LOSS OF CONSCIOUSNESS (G-LOC) IN THE HUMAN CENTRIFUGE Final Report, Jun. 1992 - Jun. 1993 130 p ESTRELLA M. FORSTER 20 Jun. 1993 Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(AD-A278769; NAWCADWAR-93089-60) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

Pilots of high performance aircraft may be exposed to positive acceleration (+Gz). This type of acceleration displaces blood in the head to foot direction. As the pressure in the vessels of the lower body increases, the vessels dilate, and a major proportion of the blood from the upper part of the body is shifted into these lower vessels. The pooling of blood in the lower extremities translates into a reduced cardiac output provoking the cardiovascular system to maintain adequate blood flow to the central nervous system and thereby maintain normal brain function. The symptoms of acceleration stress may lead to +Gz induced loss of consciousness (G-LOC) with potential fatal consequences. According to a survey done in 1986, approximately 12% of the Navy aircrew have experienced G-LOC inflight. When G-LOC descriptive data is available, it is usually limited to the particular investigator's research interests. Most research regarding G-LOC does not include the symptoms typical of this event. Specifically, the subject's psychological reaction to the G-LOC episode itself is often ignored. Understanding the physiology and mechanism of G-LOC is necessary to develop methods to avoid such an event. However, until an infallible method to prevent G-LOC is developed, G-LOC will occur. Hence, the thrust of G-LOC research should include understanding recovery from unconsciousness: to include G-LOC's psychological sequelae. DTIC

N94-35712 Aerospace Medical Research Labs., Wright-Patterson AFB, OH. Crew Systems Directorate. **BIBLIOGRAPHY OF RESEARCH REPORTS AND PUBLICATIONS ISSUED BY THE HUMAN ENGINEERING** DIVISION Technical Report, Jan. 1987 - Dec. 1993 REBECCA J. GREEN Mar. 1994 127 p Limited Reproducibility: More than 20% of this document may be affected by microfiche (AD-A278787; AL/CF-SR-1994-0003) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

This bibliography contains the titles, authors and publication/ source information for the technical reports and articles published by the Human Engineering Division of Armstrong Laboratory between January 1987 and December 1993. The bibliography is divided into seven sections: (1) Alphabetical Index; (2) Human Capabilities & Limitations; (3) Design Aiding Technologies; (4) Advanced Displays, Controls & Computer Interfaces; (5) Crew System Integration, Test & Evaluation; (6) Modeling & Simulation; and (7) Chemical Defense.

N94-35716 Carnegie-Mellon Univ., Pittsburgh, PA. Dept. of Computer Science.

THE BREAKDOWN OF OPERATORS WHEN INTERACTING WITH THE EXTERNAL WORLD

GARRETT A. PELTON and JILL F. LEHMAN Feb. 1994 40 p Limited Reproducibility: More than 20% of this document may be affected by microfiche quality

(AD-A278936; CMU-CS-94-121) Avail: Issuing Activity (Defense Technical Information Center (DTIC))

By looking at the simple task of tossing a bean bag from hand to hand, we show how the macro operator method breaks down when formulating agent models that interact with an uncertain external world. A macro operator encapsulates a plan to reach an objective. Occasionally the objective will be found to be unachievable, requiring the macro operator and its plan to be rejected. Letting the macro operator interact with the external world does not, by itself, change this situation but the fact that the results of the interaction are uncertain, and the agent's knowledge incomplete, does. The key idea is that the agent can't positively determine if progress towards the objective is being made in the external world, and thus errors will be made in rejecting a macro operator that would succeed. We show that there are a number of methods by which the agent can recover from such an operator rejection and continue toward the operator's objective. If we make operator rejection and recovery into a common mechanism, then the operators and the plans they represent will be split by the interaction into a sequence of smaller operators each doing a portion of the work toward the objective of the larger operator. The models are described in terms of Soar and we assume the reader's familiarity with both the architecture and the Problem Space Computational Model in our discussions. Author (DTIC)

N94-36336# Netherlands Aerospace Medical Centre, Soesterberg. Research Dept.

REVIEW OF HUMAN FACTORS PROBLEMS RELATED TO LONG DISTANCE AND LONG ENDURANCE OPERATION OF AIRCRAFT

RIES M. SIMONS and PIERRE J. L. VALK In AGARD, Recent Advances in Long Range and Long Endurance Operation of Aircraft 9 p Nov. 1993

Copyright Avail: CASI HC A02/MF A03


Long distance operations are characterized by rapid multiple time-zone changes and long irregular work schedules. Performance and alertness of aircrew engaged in these operations might be affected by circadian disruptions, sleep loss, workload, and cockpit-environmental factors, such as lower pressure, low relative humidity, and constant background noise. Recent literature on the various factors, which contribute to fatigue and reduced alertness of pilots, is reviewed.

Author

p 265 N94-35707

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 393)

Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of document content, a title extension is added, separated from the title by three hyphens. The accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence.

ABSORPTION SPECTROSCOPY Femtosecond transient absorption studies of the light harvesting Chl a/b protein complex of Photosystem 2 in higher plants [DE94-009684]

p 262 N94-36481 **ACCELERATION TOLERANCE** A database to evaluate acceleration (+ Gz) induced loss of consciousness (G-LOC) in the human centrifuge

(AD-A2787691

ACCOMMODATION Accommodation during instrument viewing can be influenced by knowledge of object distance

p 265 N94-35707

[AD-A278987]

p 264 N94-35528 ADRENAL GLAND

Stress and brain protein synthesis

[PB94-170750]

p 261 N94-35601 ADRENAL METABOLISM

Stress and brain protein synthesis

[PB94-170750] p 261 N94-35601

AEROSPACE MEDICINE

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 391) [NASA-SP-7011(391)] p 262 p 262 N94-35345

AIR QUALITY

Model engineering concepts for air quality models in an integrated environmental modeling syste [PB94-158623] p 265 N94-35688

AIRCRAFT MANEUVERS

The prediction of pilot opinion ratings using optimal and sub-optimal pilot models

[AD-A278679] p 265 N94-35692

ALGAE

Femtosecond transient absorption studies of the light harvesting ChI a/b protein complex of Photosystem 2 in higher plants IDE94-0096841 p 262 N94-36481 AMINES

Effects of 5 MPa heliox pressure on dopaminer gic pathway: An in vivo neurochemical study [PB94-170693] p 263 N94-36220

Discrimination of taste of amino acids with a multichannel

taste sensor

[BTN-94-EIX94301314445] p 261 A94-60694 AORTA

New method for evaluating local pulse wave velocity

by measuring vibrations on arterial wall p 262 A94-61012

ARCHITECTURE (COMPUTERS)

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2)

[PB94-170537] ARTERIES

p 264 N94-35600

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p p 262 A94-61012

ARTIFICIAL INTELLIGENCÉ The breakdown of operators when interacting with the external world

[AD-A278936]

p 266 N94-35716 **ASTRONAUTS**

Self-rescue strategies for EVA crewm with the SAFER backnack

p 264 N94-35633 ATTITUDE (INCLINATION) Self-rescue strategies for EVA crewm p 264 N94-35633

with the SAFER backpack

Attention and signal detection. A study of attention divided between visual and auditory signs [PB94-170594] p 264 N94-36215

В

BIBLIOGRAPHIES

Aerospace medicine and biology: A bibliography with indexes (supplement 391) A continuing [NASA-SP-7011(391)] p 262 N94-35345

Bibliography of research reports and publications issued by the Human Engineering Division p 265 N94-35712

(AD-A2787871 BIOCHEMISTRY

Activities of National Institute of Radiological Science (DE94-727636) p 262 N94-36101

BIOINSTRUMENTATION

Discrimination of taste of amino acids with a multichannel

[BTN-94-EIX94301314445] p 261 A94-60694 BIOLOGICAL EFFECTS A continuing

Aerospace medicine and biology:

bibliography with indexes (supplement 391)
[NASA-SP-7011(391)] p 262 p 262 N94-35345 Further studies of 60-Hz exposure effects on human

function p 263 N94-36223

[DF94-010192]

BIOMEDICAL DATA

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wa p 262 A94-61012 [BTN-94-EIX94311332188]

BIOPHYSICS

Activities of National Institute of Radiological Sciences p 262 N94-36101 [DE94-727636]

BIOREACTORS

High density cell culture system [NASA-CASE-MSC-22060-1] p 261 N94-35366

BIOSYNTHESIS

p 261 N94-35601

Stress and brain protein synthet [PB94-170750]

BLOOD FLOW A database to evaluate acceleration (+Gz) induced loss

of consciousness (G-LOC) in the human centrifuge p 265 N94-35707 [AD-A278769]

BRAIN

Stress and brain protein synthesis [PB94-170750] p 261 N94-35601

CARDIOVASCULAR SYSTEM

A database to evaluate acceleration (+Gz) induced loss of consciousness (G-LOC) in the human centrifuge p 265 N94-35707 [AD-A278769]

CELLS (BIOLOGY)

Multi-cellular, three-dimensional living mammalian [NASA-CASE-MSC-21560-21 p 261 N94-35232

High density cell culture system

INASA-CASE-MSC-22060-11 n 261 N94-35366 Activities of National Institute of Radiological Sciences p 262 N94-36101

[DE94-7276361

CENTRAL NERVOUS SYSTEM A database to evaluate acceleration (+Gz) induced loss of consciousness (G-LOC) in the human centrifuge

CENTRIFUGING STRESS

[AD-A2787691

A database to evaluate acceleration (+Gz) induced loss of consciousness (G-LOC) in the human centrifuge [AD-A278769] p 265 N94-35707

CHEMISTRY

Activities of National Institute of Radiological Sciences p 262 N94-36101 IDE94-7276361

CODING

Attention and signal detection. A study of attention divided between visual and auditory signals

[PB94-170594]

p 264 N94-36215 COLLAGENS

A low temperature scanning force microscope for

hiological samples [DE94-011357] p 262 N94-36269

COMMAND LANGUAGES

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2)

[PB94-1705371 p 264 N94-35600

CONSCIOUSNESS A database to evaluate acceleration (+Gz) induced loss

of consciousness (G-LOC) in the human centrifuge p 265 N94-35707 [AD-A2787691 CRANIUM

Effects of 5 MPa heliox pressure on dopaminer gic pathway: An in vivo neurochemical study [PB94-170693] p.2 p 263 N94-36220

CULTURE TECHNIQUES

Multi-cellular, three-dimensional living mammalian [NASA-CASE-MSC-21560-2] p 261 N94-35232

High density cell culture system (NASA-CASE-MSC-22060-11 p 261 N94-35366

D

DATA ACQUISITION

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012

DESYNCHRONIZATION (BIOLOGY)

Some solutions to reduce the human effects of extended p 263 N94-36339 operation times

DISCRIMINATION

Discrimination of taste of amino acids with a multichannel [BTN-94-EIX94301314445] p 261 A94-60694

DISTANCE

Accommodation during instrument viewing can be influenced by knowledge of object distance p 264 N94-35528 [AD-A278987]

DIVING (UNDERWATER)

Effects of 5 MPa heliox pressure on dopaminer gic pathway: An in vivo neurochemical study [PB94-170693] p 263 N94-36220

Some solutions to reduce the human effects of extended operation times p 263 N94-36339 E

Attention and signal detection. A study of attention divided between visual and auditory signals

p 264 N94-36215 [PB94-170594] **ELECTRIC FIELDS**

Further studies of 60-Hz exposure effects on human function

p 263 N94-36223 [DE94-010192]

ELECTROMAGNETIC ABSORPTION

Femtosecond transient absorption studies of the light harvesting Chl a/b protein complex of Photosystem 2 in higher plants

[DE94-009684] p 262 N94-36481

ELECTROMAGNETIC SCATTERING

Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173

ENDOCRINE SYSTEMS

Stress and brain protein synthesis

[PB94-170750] p 261 N94-35601

ENDOCRINOLOGY

Stress and brain protein synthesis

IPR94-1707501 p 261 N94-35601

ENVIRONMENT MODELS Model engineering concepts for air quality models in

an integrated environmental modeling syste p 265 N94-35688 [PB94-158623]

ENVIRONMENT SIMULATION

Design and simulation of EVA tools for first servicing mission of HST

INASA-CR-1960301 p 264 N94-35266

ENVIRONMENTAL TESTS

Activities of National Institute of Radiological Scien p 262 N94-36101 [DE94-727636]

EXCITONS

Femtosecond transient absorption studies of the light arvesting Chl a/b protein complex of Photosystem 2 in higher plants

[DE94-009684] p 262 N94-36481

EXOBIOLOGY

medicine and biology: A continuing bibliography with indexes (supplement 391) [NASA-SP-7011(391)] p 262 N94-35345

EXPERT SYSTEMS

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2)

[PB94-170537] p 264 N94-35600

EXTRAVEHICULAR ACTIVITY

Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 Self-rescue strategies for EVA crewmembers equipped p 264 N94-35633 with the SAFER backpack

FYF MOVEMENTS

Visual-vestibular interaction

[NASA-CR-196097] p 264 N94-35379

is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-35659

A low temperature scanning force microscope for [DE94-011357] p 262 N94-36269

FLIGHT CONTROL

FABRICATION

The prediction of pilot opinion ratings using optimal and sub-optimal pilot models

[AD-A278679] p 265 N94-35692

FLIGHT CREWS

Review of human factors problems related to long distance and long endurance operation of aircraft p 266 N94-36336

Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm FLIGHT FATIGUE

Review of human factors problems related to long

distance and long endurance operation of aircraft p 266 N94-36336

Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm Some solutions to reduce the human effects of extended p 263 N94-36339 operation times FLIGHT STRESS (BIOLOGY)

Determinants of subjective fatigue for C-141 crews during Operation Desert Storm p 263 N94-36338 FLIGHT TIME

Review of human factors problems related to long distance and long endurance operation of aircraft

p 266 N94-36336 Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm **FOCUSING**

Is increased accommodation a necessary condition for instrument myopia?

[AD-A278962] p 265 N94-35659

G

GENETICS

Activities of National Institute of Radiological Sciences [DE94-727636] p 262 N94-36101

GLYCOGENS

Typology of skeletal muscle in humans undergoing intense physical training or prolonged akines p 262 N94-36217

[PB94-170644] GOGGLES

Accommodation during instrument viewing can be influenced by knowledge of object distance p 264 N94-35528 [AD-A278987]

GRAPHICAL USER INTERFACE

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2) p 264 N94-35600 [PB94-170537]

GRAVITATIONAL EFFECTS

Effect of microgravity on plant growth [NASA-CR-196004] p p 261 N94-35257

HEAD MOVEMENT

Visual-vestibular interaction

p 264 N94-35379 [NASA-CR-196097] **HEART RATE** Further studies of 60-Hz exposure effects on human

function [DE94-010192] p 263 N94-36223

HIGH PRESSURE

Effects of 5 MPa heliox pressure on dopaminer gic pathway: An in vivo neurochemical study p 263 N94-36220 [PB94-170693]

HUBBLE SPACE TELESCOPE

Design and simulation of EVA tools for first servicing ssion of HST

p 264 N94-35266 INASA-CR 1960301 HUMAN BEINGS

Further studies of 60-Hz exposure effects on human function

p 263 N94-36223 [DE94-010192]

HUMAN CENTRIFUGES

A database to evaluate acceleration (+Gz) induced loss of consciousness (G-LOC) in the human centrifuge p 265 N94-35707 (AD-A278769) HUMAN FACTORS ENGINEERING

The prediction of pilot opinion ratings using optimal and sub-optimal pilot models p 265 N94-35692

Bibliography of research reports and publications issued by the Human Engineering Division p 265 N94-35712 [AD-A278787]

Review of human factors problems related to long distance and long endurance operation of aircraft p 266 N94-36336

HUMAN REACTIONS

The prediction of pilot opinion ratings using optimal and sub-optimal pilot models p 265 N94-35692 [AD-A2786791

HUMAN-COMPUTER INTERFACE

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2) [PB94-170537] p 264 N94-35600

INDEXES (DOCUMENTATION)

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 391) p 262 N94-35345 [NASA-SP-7011(391)]

Some solutions to reduce the human effects of extended p 263 N94-36339 operation times

KNOWLEDGE BASED SYSTEMS

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2) p 264 N94-35600 IPR94-1705371

LIFE SCIENCES

Aerospace medicine and biology: A bibliography with indexes (supplement 391) A continuing p 262 N94-35345 [NASA-SP-7011(391)] LIFE SUPPORT SYSTEMS

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 391)

p 262 N94-35345 [NASA-SP-7011(391)] LOW TEMPERATURE

A low temperature scanning force microscope for biological samples p 262 N94-36269 [DE94-011357]

MACHINE LEARNING

The breakdown of operators when interacting with the external world p 266 N94-35716 (AD-A278936)

MAGNETIC FIELDS

Further studies of 60-Hz exposure effects on human function

p 263 N94-36223 [DE94-010192]

Multi-cellular, three-dimensional living mammalian tissue [NASA-CASE-MSC-21560-2] p 261 N94-35232

MAN MACHINE SYSTEMS

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 391) p 262 N94-35345 [NASA-SP-7011(391)]

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2) p 264 N94-35600 [PB94-170537]

MATHEMATICAL MODELS

The breakdown of operators when interacting with the evternal world p 266 N94-35716 [AD-A278936]

MEDICAL ELECTRONICS

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012

MEDICAL EQUIPMENT New method for evaluating local pulse wave velocity

by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p p 262 A94-61012

MEDICAL SCIENCE

Bibliography of research reports and publications issued by the Human Engineering Division p 265 N94-35712 AD-A2787871 Activities of National Institute of Radiological Sciences DE94-727636] p 262 N94-36101

[DE94-727636] MEMBRANES

A low temperature scanning force microscope for [DE94-011357] p 262 N94-36269

METABOLISM Effect of microgravity on plant growth

INASA-CR-1960041 p 261 N94-35257

METHIONINE

Stress and brain protein synthesis p 261 N94-35601 [PB94-170750]

MICROGRAVITY

Effect of microgravity on plant growth [NASA-CR-196004] p p 261 N94-35257

MODULATION

Attention and signal detection. A study of attention divided between visual and auditory signals p 264 N94-36215 [PB94-170594]

MOODS

Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm MOTION PERCEPTION

Visual-vestibular interaction

[NASA-CR-196097] p 264 N94-35379 MUSCLES

Typology of skeletal muscle in humans undergoing intense physical training or prolonged akines

p 262 N94-36217 [PB94-170644]

SUBJECT INDEX WAVE PROPAGATION

Review of human factors problems related to long

SPACECREWS

MUSCULAR STRENGTH

intense physical training or prolonged akinesia	g distance and long endurance operation of aircraft p 266 N94-36336	Self-rescue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-3563
[PB94-170644] p 262 N94-3621		STRESS (PHYSIOLOGY)
MUSCULOSKELETAL SYSTEM Typology of skeletal muscle in humans undergoin	Aerospace medicine and biology: A continuing bibliography with indexes (supplement 391)	Stress and brain protein synthesis {PB94-170750} p 261 N94-3560
intense physical training or prolonged akinesia	[NASA-SP-7011(391)] p 262 N94-35345	(, ac, , , , , , , , , , , , , , , , , ,
[PB94-170644] p 262 N94-3621		T
MYOPIA Accommodation during instrument viewing can b	Stress and brain protein synthesis [PB94-170750] p 261 N94-35601	
influenced by knowledge of object distance	PROTEINS	TASK COMPLEXITY Attention and signal detection. A study of attention
[AD-A278987] p 264 N94-3552	[DB04 1707E0] 5 261 N04.2E601	divided between visual and auditory signals
Is increased accommodation a necessary condition to instrument myopia?	A low temperature scanning force microscope for	[PB94-170594] p 264 N94-36215
[AD-A278962] p 265 N94-3565	biological samples	TASTE Discrimination of taste of amino acids with a multichanne
• • • • • • • • • • • • • • • • • • • •	[DE94-011357] p 262 N94-36269 Femtosecond transient absorption studies of the light	taste sensor
N	harvesting Chl a/b protein complex of Photosystem 2 in	[BTN-94-EIX94301314445] p 261 A94-60694
••	higher plants	TISSUES (BIOLOGY) Multi-relaxation FD(exp 2)-TD method for modeling
NATURAL LANGUAGE (COMPUTERS)	[DE94-009684] p 262 N94-36481 PSYCHOLOGICAL FACTORS	dispersion in biological tissues
MMI(exp 2) demonstrator systems: A multi-mode interface for man machine interaction with knowledge	Determinants of subjective fatigue for C-141 crews	[BTN-94-EIX94311330883] p 261 A94-61173 Multi-cellular, three-dimensional living mammaliar
based systems. Deliverable D17 (TA 2) ESPRIT project		tissue
2474 MMI(exp 2)	Some solutions to reduce the human effects of extended	[NASA-CASE-MSC-21560-2] p 261 N94-35232
[PB94-170537] p 264 N94-3560 NEUROLOGY	Operation times p 263 (494-36339)	High density cell culture system [NASA-CASE-MSC-22060-1] p 261 N94-35366
Discrimination of taste of amino acids with a multichanne	PSYCHOPHARMACOLOGY Some solutions to reduce the human effects of extended	TRAJECTORIES
taste sensor	operation times p 263 N94-36339	Self-rescue strategies for EVA crewmembers equipped
[BTN-94-EIX94301314445] p 261 A94-6069 Stress and brain protein synthesis		with the SAFER backpack p 264 N94-35633 TRANSDUCERS
(PB94-170750) p 261 N94-3560	· R	Discrimination of taste of amino acids with a multichannel
NIGHT VISION		taste sensor
Accommodation during instrument viewing can b		[BTN-94-EIX94301314445] p 261 A94-60694 TRANSFERRING
influenced by knowledge of object distance [AD-A278987] p 264 N94-3552	Activities of National Institute of Radiological Sciences [DE94-727636] p 262 N94-36101	Attention and signal detection. A study of attention
Is increased accommodation a necessary condition for	,,	divided between visual and auditory signals
instrument myopia?	Stress and brain protein synthesis	[PB94-170594] p 264 N94-36215 TUMBLING MOTION
[AD-A278962] p 265 N94-3565 NOISE INTENSITY	9 [PB94-170750] p 261 N94-35601 REGRESSION ANALYSIS	Self-rescue strategies for EVA crewmembers equipped
A low temperature scanning force microscope to		with the SAFER backpack p 264 N94-35633
biological samples	taste sensor	U
[DE94-011357] p 262 N94-3626 NOISE REDUCTION	(BTN-94-EIX94301314445) p 261 A94-60694 p 261 RESCUE OPERATIONS	U
A low temperature scanning force microscope for		ULTRASONIC TESTS
biological samples	with the SAFER backpack p 264 N94-35633	New method for evaluating local pulse wave velocity
[DE94-011357] p 262 N94-3626 NONINTRUSIVE MEASUREMENT	RIBONUCLEIC ACIDS A low temperature scanning force microscope for	by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012
New method for evaluating local pulse wave velocit		(
by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-6101	[DE94-011357] p 262 N94-36269	V
[BTN-94-EIX94311332188] p 262 A94-6101		
	S	VEGETATION GROWTH
0	J	Effect of microgravity on plant growth
•		[NASA-CR-196004] p 261 N94-35257
OPTICAL MEASURING INSTRUMENTS	SCANNERS A low temperature scanning force microscope for	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT
•	SCANNERS A low temperature scanning force microscope for biological samples	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia?	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelind dispersion in biological tissues	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modeling	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35375 Accommodation during instrument viewing can be
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the light	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated ervironmental modeling system	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35375 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] p 264 N94-35526
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the light harvesting Chi a/b protein complex of Photosystem 2	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688	[NASA-CR-196004] p 261 N94-35257 VELOCITY WEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A276987] p 264 N94-35528
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the light	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36399 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-156523] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35375 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] p 264 N94-35526
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the light harvesting Chi ar/b protein complex of Photosystem 2 higher plants [DE94-09684] p 262 N94-3648	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36309 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A276987] VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the lighter plants [DE94-09684] p 262 N94-3648 PHYSICS Activities of National Institute of Radiological Science	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36399 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35888 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35375 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] VISUAL STIMULI Visual-vestibular interaction
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligharvesting Chi a/b protein complex of Photosystem 2 higher plants [DE94-09684] PHYSICS Activities of National Institute of Radiological Science [DE94-727636] PHYSICIO PASSON PERMITTION PROTEINS PASSON PASS	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35888 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE	[NASA-CR-196004] p 261 N94-35257 VELOCITY WEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] P 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the lighter plants [DE94-09684] P 262 N94-3648 PHYSICS Activities of National Institute of Radiological Science [DE94-727636] P 262 N94-3610 [DE94-727636] P 262 N94-3610 [DE94-727636] P 262 N94-3610	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-159623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTIBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligharvesting Chi a/b protein complex of Photosystem 2 higher plants [DE94-09684] PHYSICS Activities of National Institute of Radiological Science [DE94-727636] PHYSICIO PASSON PERMITTION PROTEINS PASSON PASS	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35375 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] p 264 N94-35375 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35375 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligharvesting Chl a/b protein complex of Photosystem 2 higher plants [DE94-09684] p 262 N94-3648 PHYSICS Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 [DE94-727636] p 262 N94-3610 [DE94-727636] p 262 N94-3610 [DE94-727636] p 265 N94-3610	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS Self-rescue strategies for EVA crewmembers equipped with the SAEEE backgraph.	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61177 WAVE PROPAGATION New method for evaluating local pulse wave velocity
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligharvesting Chi a/b protein complex of Photosystem 2 higher plants [DE94-09684] PHYSICS Activities of National Institute of Radiological Science [DE94-727636] Activities of National Institute of Radiological Science [DE94-727636] PHYSICLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lor of consciousness (G-LOC) in the human centrifuge [AD-A278769] PHYSIOLOGICAL FACTORS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm PHYSIOLOGICAL TESTS	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS SPACE STATIONS SPACE STATIONS SPACE TOOLS	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological issues [BTN-94-EIX94311330883] PHOTOSYNTHESIS Femtosecond transient absorption studies of the lighter plants [DE94-09684] PHYSIOS Activities of National Institute of Radiological Science [DE94-727636] PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced to of consciousness (G-LOC) in the human centrifuge [AD-A278768] PHYSIOLOGICAL FACTORS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on human page 1 deserved to the manual content of the subjective fatigue for C-141 crew during Operation Desert Storm PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on human centers.	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-156623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MANTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS Self-rescue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-35633 SPACE TOOLS Design and simulation of EVA tools for first servicing	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61177 WAVE PROPAGATION New method for evaluating local pulse wave velocity
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligh harvesting Chi a/b protein complex of Photosystem 2 higher plants [DE94-09684] p 262 N94-3648 PHYSICS Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3648 PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lot of consciousness (G-LOC) in the human centrifuge [AD-A278769] p 265 N94-3570 PHYSIOLOGICAL FACTORS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm p 263 N94-3633 Further studies of 60-Hz exposure effects on huma function	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-156523] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS Self-rescue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-3533 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] P 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the lighter plants [DE94-09684] PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lot of consciousness (G-LOC) in the human centrifuge [AD-A278769] PHYSIOLOGICAL EFFECTS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on huma function [DE94-010192] PHYSIOLOGY	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-198030] p 264 N94-35266 SPACE STATIONS Self-recue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-35633 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-198030] p 264 N94-35633 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-198030] p 264 N94-35266	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-3565 P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3610 PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligh harvesting Chi a/b protein complex of Photosystem 2 higher plants [DE94-090694] p 262 N94-3648 PHYSICS Activities of National Institute of Radiological Science [DE94-727636] p 262 N94-3648 PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lot of consciousness (G-LOC) in the human centrifuge [AD-A278769] p 265 N94-3570 PHYSIOLOGICAL FACTORS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm p 263 N94-3632 PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on huma function [DE94-010192] p 263 N94-3622 PHYSIOLOGY Activities of National Institute of Radiological Science	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-156623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MANTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS Self-rescue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-35633 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35666 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35666 SPACE TOOLS Effect of microgravity on plant growth	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] P 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the lighter plants [DE94-09684] PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lot of consciousness (G-LOC) in the human centrifuge [AD-A278769] PHYSIOLOGICAL EFFECTS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on huma function [DE94-010192] PHYSIOLOGY	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-156623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MANTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS Self-rescue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-35633 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35666 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35666 SPACE TOOLS Effect of microgravity on plant growth	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] PHOTOSYNTHESIS Femtosecond transient absorption studies of the ligh harvesting Chi a/b protein complex of Photosystem 2 higher plants [DE94-09684] PHYSICS Activities of National Institute of Radiological Science [DE94-727636] PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lot of consciousness (G-LOC) in the human centrifuge [AD-A278769] PHYSIOLOGICAL FACTORS Determinants of subjective fatigue for C-141 crew during Operation Desert Storm PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on huma function [DE94-010192] PASOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 263 N94-3632 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 263 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 262 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 262 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 262 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 262 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 262 PHYSIOLOGY Activities of National Institute of Radiological Science [DE94-727636] P 262 P 262 P 263 P 264 P 265 P 267 P 267 P 267 P 267 P 268 P 268	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MANTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS Self-rescue strategies for EVA crewmembers equipped with the SAFER backpack p 264 N94-35266 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACEBORNE EXPERIMENTS Effect of microgravity on plant growth [NASA-CR-196030] p 261 N94-35257 SPACECRAFT MAINTENANCE Design and simulation of EVA tools for first servicing design and simulation of EVA tools for first servicing mission of HST	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall
OPTICAL MEASURING INSTRUMENTS Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] P PATHOLOGY Activities of National Institute of Radiological Science [DE94-727636] PERMITTIVITY Multi-relaxation FD(exp 2)-TD method for modelin dispersion in biological tissues [BTN-94-EIX94311330883] P 261 A94-6117 PHOTOSYNTHESIS Femtosecond transient absorption studies of the lighter plants [DE94-09684] PHYSICS Activities of National Institute of Radiological Science (DE94-727636) PHYSICS A database to evaluate acceleration (+Gz) induced lor of consciousness (G-LOC) in the human centrifuge [AD-A278769] PHYSIOLOGICAL EFFECTS A database to evaluate acceleration (+Gz) induced lor of consciousness (G-LOC) in the human centrifuge [AD-A278769] PHYSIOLOGICAL TESTS Further studies of 60-Hz exposure effects on huma function [DE94-010192] P 263 N94-3632 PHYSIOLOGY Activities of National Institute of Radiological Science (DE94-727636) PHYSIOLOGY Activities of National Institute of Radiological Science (DE94-727636) P 262 N94-3610 PHYSIOLOGY Activities of National Institute of Radiological Science (DE94-727636) P 262 N94-3610	SCANNERS A low temperature scanning force microscope for biological samples [DE94-011357] p 262 N94-36269 SENSORY STIMULATION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 SIGNAL DETECTION Attention and signal detection. A study of attention divided between visual and auditory signals [PB94-170594] p 264 N94-36215 SLEEP DEPRIVATION Some solutions to reduce the human effects of extended operation times p 263 N94-36339 SOFTWARE ENGINEERING Model engineering concepts for air quality models in an integrated environmental modeling system [PB94-158623] p 265 N94-35688 SPACE ENVIRONMENT SIMULATION Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS SPACE TATIONS SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE TOOLS Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266 SPACE STATIONS SPACE TOOLS Effect of microgravity on plant growth [NASA-CR-196004] p 261 N94-35257 SPACERAFT MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196004] p 261 N94-35257 SPACECRAFT MAINTENANCE Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196004] p 261 N94-35257	[NASA-CR-196004] p 261 N94-35257 VELOCITY MEASUREMENT New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VESTBULAR TESTS Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VIBRATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p 262 A94-61012 VISUAL PERCEPTION Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 Accommodation during instrument viewing can be influenced by knowledge of object distance [AD-A278987] visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 VISUAL STIMULI Visual-vestibular interaction [NASA-CR-196097] p 264 N94-35379 W WAVE DISPERSION Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61179 WAVE PROPAGATION New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall

Typical Personal Author Index Listing

PERSONAL AUTHOR BURDEN, HUBERT W. Physiological Anatomical Rodent Experiment (PARE).04 Feasibility Test 1 INASA-CR-194423 N94-13473 REPORT PAGE ACCESSION TITLE NUMBER NUMBER NUMBER

Listings in this index are arranged alphabetically by personal author. The title of the document is used to provide a brief description of the subject matter. The report number helps to indicate the type of document (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence.

A

ANTOLINI, RENZO

Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173

BARTHELEMY-REQUIN, M.

Effects of 5 MPa heliox pressure on doparniner gic pathway: An in vivo neurochemical study [PB94-170693] p 263 N94-36220

BATEJAT, D.

Some solutions to reduce the human effects of extended p 263 N94-36339 operation times

BAUGHMAN, DAVID

Self-rescue strategies for EVA crewmembers equipped p 264 N94-35633 with the SAFER backpack

Typology of skeletal muscle in humans undergoing intense physical training or prolonged akinesia p 262 N94-36217 [PB94-170644]

BISSON, ROGER U.

Determinants of subjective fatigue for C-141 crev p 263 N94-36338 during Operation Desert Storm

Femtosecond transient absorption studies of the light harvesting Chl a/b protein complex of Photosystem 2 in p 262 N94-36481

[DE94-009684] BOBILLIER, G.

Stress and brain protein synthesis

p 261 N94-35601 [PR94-170750]

BOLL, PATRICIA Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm BONNEL, A. M.

Attention and signal detection. A study of attention divided between visual and auditory signals p 264 N94-36215 [PB94-170594]

BÝUN, D. W. Model engineering concepts for air quality models in

an integrated environmental modeling system [PB94-158623] p 265 N94-35688

CESCATTI, LORENZA

Multi-relaxation FD(exp 2)-TD method for modeling rispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173 CHUBACHI, N. New method for evaluating local pulse wave velocity

by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p p 262 A94-61012 COATS, C.

Model engineering concepts for air quality models in an integrated environmental modeling syste p 265 N94-35688

[PB94-158623] CÔHEN, H. D. Further studies of 60-Hz exposure effects on human

function [DE94-010192] p 263 N94-36223 CRISTOFORETTI, LUCA

Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883] p 261 A94-61173

DEHOFF, P. H.

Design and simulation of EVA tools for first servicing mission of HST [NASA-CR-196030] p 264 N94-35266

E

EDKINS, CRAIG R.

The prediction of pilot opinion ratings using optimal and b-ootimal pilot models [AD-A278679] p 265 N94-35692

FORSTER, ESTRELLA M.

A database to evaluate acceleration (+Gz) induced loss of consciousness (G-LOC) in the human centrifuge
[AD-A278769] p 265 N94-35707 [AD-A278769]

FRENCH, JONATHAN

Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm

GOODWIN, THOMAS J.

Multi-cellular, three-dimensional living mammalian [NASA-CASE-MSC-21560-2] p 261 N94-35232

GRAHAM, C.

Further studies of 60-Hz exposure effects on human function [DE94-010192] p 263 N94-36223

GREEN, REBECCA J.

Bibliography of research reports and publications issued by the Human Engineering Division [AD-A278787] p 265 N94-35712

GUSTAFSSON, M. G. L.

A low temperature scanning force microscope for [DE94-011357] p 262 N94-36269

Н

Model engineering concepts for air quality models in an integrated environmental modeling system p 265 N94-35688 [PB94-158623]

HWANG, D. Model engineering concepts for air quality models in

an integrated environmental modeling system p 265 N94-35688 [PB94-158623]

IRRGANG, K. D.

Femtosecond transient absorption studies of the light harvesting Chl a/b protein complex of Photosystem 2 in higher plants p 262 N94-36481 IDE94-0096841

KANAI, H.

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall p 262 A94-61012 [BTN-94-EIX94311332188]

KAWABE, K.

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall p 262 A94-61012 [BTN-94-EIX94311332188]

KIKKAWA, YUKIKO Discrimination of taste of amino acids with a multichannel taste sensor

[BTN-94-EIX94301314445] p 261 A94-60694 KOIWA, Y.

New method for evaluating local pulse wave velocity

by measuring vibrations on arterial wall [BTN-94-EIX94311332188] p p 262 A94-61012 KOTULAK, JOHN C.

Accommodation during instrument viewing can be influenced by knowledge of object distance p 264 N94-35528 Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-35659

LAGARDE, D.

Some solutions to reduce the human effects of extended p 263 N94-36339 operation times LEHMAN, JILL F.

The breakdown of operators when interacting with the external world p 266 N94-35716 (AD-A278936)

LEWIS, NORMAN G.

Effect of microgravity on plant growth [NASA-CR-196004] p p 261 N94-35257

M

MATSUNO, TETSUYA

Discrimination of taste of amino acids with a multichannel taste sensor [BTN-94-EIX94301314445] p 261 A94-60694 MÈRFELD, D. Visual-vestibular interaction

[NASA-CR-196097]

p 264 N94-35379 MORSE, STEPHEN E.

Accommodation during instrument viewing can be influenced by knowledge of object distance p 264 N94-35528 [AD-A278987] Is increased accommodation a necessary condition for

instrument myopia? p 265 N94-35659 [AD-A278962] MURATA, R.

New method for evaluating local pulse wave velocity

by measuring vibrations on arterial v [BTN-94-EIX94311332188] p 262 A94-61012

NAIK, DIPAK

Design and simulation of EVA tools for first servicing mission of HST p 264 N94-35266 [NASA-CR-196030]

NÈVILLE, KELLY J.

Determinants of subjective fatigue for C-141 crews p 263 N94-36338 during Operation Desert Storm

PELTON, GARRETT A.

PELTON, GARRETT A.

The breakdown of operators when interacting with the external world p 266 N94-35716

PONTALTI, ROLANDO

Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissues [BTN-94-EIX94311330883]

p 261 A94-61173

RIEU. M.

Typology of skeletal muscle in humans undergoing se physical training or prolonged akinesi [PB94-1706441 p 262 N94-36217

RISSO, J. J.

Effects of 5 MPa heliox pressure on dopaminer gic pathway: An in vivo neurochemical study [PB94-170693] p 263 N94-36220

S

SIMONS, RIES M.

Review of human factors problems related to long distance and long endurance operation of aircraft p 266 N94-36336

SPAULDING, GLENN F.

High density cell culture system [NASA-CASE-MSC-22060-1] p 261 N94-35366

STORM, WILLIAM F.

Determinants of subjective fatigue for C-141 crews during Operation Desert Storm p 263 N94-36338

TAKANO, M.

New method for evaluating local pulse wave velocity by measuring vibrations on arterial wall [BTN-94-EIX94311332188]

p 262 A94-61012 TOKO, KIYOSHI

Discrimination of taste of amino acids with a multichannel

[BTN-94-EIX94301314445]

p 261 A94-60694

VALK, PIERRE J. L.

Review of human factors problems related to long distance and long endurance operation of aircraft µ 266 N94-36336

W

WASIELEWSKI, M. R.

Femtosecond transient absorption studies of the light harvesting Chl a/b protein complex of Photosystem 2 in higher plants [DE94-009684]

p 262 N94-36481

WILEY, ROGER W.

Accommodation during instrument viewing can be influenced by knowledge of object distance

WILSON, M. D.

[AD-A278987] p 264 N94-35528
WILLIAMS, TREVOR
Self-rescue strategies for EVA crewmembers equipped
with the SAFER backpack p 264 N94-35633

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2)

[PB94-170537]

p 264 N94-35600

WOLF, DAVID A.

Multi-cellular, three-dimensional living mammalian

[NASA-CASE-MSC-21560-2]

p 261 N94-35232

YAMAFUJI, KAORU

Discrimination of taste of amino acids with a multichannel taste sensor

[BTN-94-EIX94301314445] YOUNG, LAURENCE R.

p 261 A94-60694

Visual-vestibular interaction

[NASA-CR-196097]


p 264 N94-35379

CORPORATE SOURCE INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 393)

October 1994

Typical Corporate Source Index Listing



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

Aerospace Medical Research Labs., Brooks AFB, TX. Determinants of subjective fatigue for C-141 crews during Operation Desert Storm p 263 N94-36338

Aerospace Medical Research Labs., Wright-Patterson

Bibliography of research reports and publications issued by the Human Engineering Division [ÁD-A278787] p 265 N94-35712

Air Force Inst. of Tech., Wright-Patterson AFB, OH. The prediction of pilot opinion ratings using optimal and sub-optimal pilot models [AD-A278679]

Argonne National Lab., IL. Femtosecond transient absorption studies of the light harvesting Chi a/b protein complex of Photosystem 2 in higher plents

[DE94-009684] p 262 N94-36481

Army Aeromedical Research Lab., Fort Rucker, AL. Accommodation during instrument viewing can be influenced by knowledge of object distance p 264 N94-35528 [AD-A278987]

Is increased accommodation a necessary condition for instrument myopia? [AD-A278962] p 265 N94-35659

California Univ., Berkeley. Lawrence Berkeley Lab, CA

A low temperature scanning force microscope for [DE94-011357] p 262 N94-36269

Carnegie-Mellon Univ., Pittsburgh, PA.

The breakdown of operators when interacting with the external world [AD-A278936] p 266 N94-35716 Centre d'Etudes et de Recherches Bio-Physiologiques Appliquees a la Marine, Toulon (France).

Effects of 5 MPa heliox pressure on dopaminer gic

way: An in vivo neurochemical study [PB94-170693] p 263 N94-36220

Centre d'Etudes et de Recherches de Medecine Aerospatiale, Bretigny sur Orge (France).

Some solutions to reduce the human effects of extended p 263 N94-36339 operation times

Cincinnati Univ., OH.

Self-rescue strategies for EVA crewmembers equipped p 264 N94-35633 with the SAFER backpack

D

Direction des Recherches, Etudes et Techniques, Paris (France).

Stress and brain protein synthesis [PB94-170750] p 261 N94-35601

Attention and signal detection. A study of attention divided between visual and auditory signals [P894-170594]

Institut National de la Sante et de la Recherche Medicale, Paris (France).

Typology of skeletal muscle in humans undergoing intense physical training or prolonged akinesia [PB94-170644] p 262 N94-36217

seachusetts Inst. of Tech., Cambridge. Visual-vestibular interaction

[NASA-CR-196097]

p 264 N94-35379 Microelectronics Center of North Carolina, Research

Triangle Park, NC.

Model engineering concepts for air quality models in an integrated environmental modeling system

p 265 N94-35688 [PB94-158623]

Midwest Research Inst., Kansas City, MO. Further studies of 60-Hz exposure effects on human

IDE94-0101921 p 263 N94-36223

National Aeronautics and Space Administration, Washington, DC.

Aerospace medicine and biology: A continuing bibliography with indexes (supplement 391)

p 262 N94-35345 [NASA-SP-7011(391)] National Aeronautics and Space Administration.

Lyndon B. Johnson Space Center, Houston, TX. Multi-cellular, three-dimensional living mammalian

[NASA-CASE-MSC-21560-2]

High density cell culture system [NASA-CASE-MSC-22060-1] p 261 N94-35366

National Inst. of Radiological Sciences, Chiba (Japan).
Activities of National Institute of Radiological Sciences
[DE94-727636] p 262 N94-36101

Naval Air Warfare Center, Warminster, PA.

A database to evaluate acceleration (+Gz) induced loss of consciousness (G-LOC) in the human centrifuge p 265 N94-35707

Netherlands Aerospace Medical Centre, Soesterberg. Review of human factors problems related to long distance and long endurance operation of aircraft p 266 N94-36336

North Carolina Univ., Charlotte, NC.

Design and simulation of EVA tools for first servicing nission of HST [NASA-CR-196030] p 264 N94-35266 R

Rutherford Appleton Lab., Chilton (England).

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2) [PB94-170537]

Washington State Univ., Pullman, WA


Effect of microgravity on plant growth [NASA-CR-196004] p p 261 N94-35257

FOREIGN TECHNOLOGY INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 393)

October 1994

Typical Foreign Technology Index Listing



Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

NETHERLANDS

Review of human factors problems related to long distance and long endurance operation of aircraft p 266 N94-36336

U

UNITED KINGDOM

MMI(exp 2) demonstrator systems: A multi-modal interface for man machine interaction with knowledge based systems. Deliverable D17 (TA 2) ESPRIT project 2474 MMI(exp 2) [PB94-170537] p 264 N94-35600

FRANCE

Stress and brain protein synthesis [PB94-170750]

p 261 N94-35601

Attention and signal detection. A study of attention

divided between visual and auditory signals [PB94-170594] p 264 p 264 N94-36215

Typology of skeletal muscle in humans undergoing

intense physical training or prolonged akinesia

[PB94-170644] p 262 N94-36217 Effects of 5 MPa heliox pressure on dopaminer gic

pathway: An in vivo neurochemical study p 263 N94-36220 [PB94-170693]

Some solutions to reduce the human effects of extended p 263 N94-36339 operation times

FTALY
Multi-relaxation FD(exp 2)-TD method for modeling dispersion in biological tissu [BTN-94-EIX94311330883] p 261 A94-61173

JAPAN

Discrimination of taste of amino acids with a multichannel taste sensor [BTN-94-EIX94301314445]

p 261 A94-80894

New method for evaluating local pulse wave velocity y measuring vibrations on arterial wall p 262 A94-61012 [BTN-94-EIX94311332188]


Activities of National Institute of Radiological Sciences [DE94-727636] p 262 N94-36101

CONTRACT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 393)

October 1994

Typical Contract Number Index Listing



Listings in this index are arranged alphanumerically by contract number. Under each contract number the accession numbers denoting documents that have been produced as a result of research done under the contract are shown. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.


262	N94-36269
263	N94-36223
	N94-36220
	N94-35688
	N94-35688
	N94-35257
	N94-35379
	N94-35266
	N94-36481
	263 263 265 265 261 264 264

October 1994

REPORT NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 393)

Typical Report Number Index Listing



Listings in this index are arranged alphanumerically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

AD-A278679		
	p 265	N94-35692
45 4070700		
AD-A278769	p 265	N94-35707
AD-A278787	p 265	N94-35712
_		
AD-A278936	p 266	N94-35716
AD-A278962	p 265	N94-35659
	•	
AD-A278987	p 264	N94-35528
AFIT/GAE/ENY/94M-2	p 265	N94-35692
AL/CF-SR-1994-0003	p 26 5	N94-35712
ANL/CHM/CP-81874	p 262	N94-36481 #
DTN 04 EIV0400404444E		
BTN-94-EIX94301314445	p 261	A94-60694
BTN-94-EIX94311330883	p 261	A94-61173
BTN-94-EIX94311332188	n 262	A94-61012
	P COL	7.0.012
CERB-92-12	p 263	N94-36220
CMU-CS-94-121	p 26 6	N94-35716
CONF-940593-6	p 262	N94-36481 #
DE94-009684	- 262	N94-36481 #
DE94-010192		N94-36223 #
DE94-011357	p 262	N94-36269
DE94-727636	p 262	N94-36101
	P	
DOE/CE-34025/T12	p 26 3	N94-36223 #
DOE/CE-34025/T12 EPA/600/A-94/036		
	p 26 5	
EPA/600/A-94/036	p 265 p 262	N94-35688 N94-36269
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1	p 265 p 262 p 264	N94-35688 N94-36269 N94-35266 * #
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391)	p 265 p 262 p 264 p 262	N94-35688 N94-36269 N94-35266 * # N94-35345 *
EPA/600/A-94/036	p 265 p 262 p 264 p 262 p 261	N94-35688 N94-36269 N94-35266 * # N94-35345 * N94-35257 * #
EPA/600/A-94/036	p 265 p 262 p 264 p 262 p 261 p 264	N94-35888 N94-36269 N94-35266 * # N94-35345 * * N94-35257 * # N94-35266 * #
EPA/600/A-94/036	p 265 p 262 p 264 p 262 p 261 p 264	N94-35688 N94-36269 N94-35266 * # N94-35345 * N94-35257 * #
EPA/600/A-94/036	p 265 p 262 p 264 p 262 p 261 p 264	N94-35888 N94-36269 N94-35266 * # N94-35345 * * N94-35257 * # N94-35266 * #
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391) NAS 1.26:196004 NAS 1.26:196030 NAS 1.26:196097	p 265 p 262 p 264 p 262 p 261 p 264 p 264	N94-35688 N94-36269 N94-35266 * # N94-35345 * N94-35257 * # N94-35279 * #
EPA/600/A-94/036	p 265 p 262 p 264 p 264 p 264 p 264 p 264	N94-35688 N94-35269 N94-35266 * # N94-35345 * N94-3527 * # N94-35379 * # N94-35232 *
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391) NAS 1.26:196004 NAS 1.26:196030 NAS 1.26:196097	p 265 p 262 p 264 p 264 p 264 p 264 p 264	N94-35688 N94-35266 * # N94-35345 * N94-35275 * # N94-35279 * # N94-35379 * # N94-35366 *
EPA/600/A-94/036	p 265 p 262 p 264 p 262 p 261 p 264 p 264 p 261 p 261 p 261	N94-35688 N94-35269 N94-35266 * # N94-35345 * N94-3527 * # N94-35379 * # N94-35232 *
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391) NAS 1.26:196004 NAS 1.26:196030 NAS 1.26:196097 NASA-CASE-MSC-21560-2 NASA-CASE-MSC-22080-1 NASA-CR-196004	p 265 p 262 p 264 p 264 p 264 p 264 p 261 p 261 p 261	N94-35688 N94-35266 * # N94-35345 * N94-35375 * # N94-35379 * # N94-35379 * # N94-35366 * * N94-35376 * *
EPA/600/A-94/036	p 265 p 262 p 264 p 264 p 264 p 264 p 261 p 261 p 261 p 261	N94-35688 N94-35266 * # N94-35345 * N94-35257 * # N94-35266 * # N94-35379 * # N94-35366 * N94-35266 * #
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391) NAS 1.26:196004 NAS 1.26:196030 NAS 1.26:196097 NASA-CASE-MSC-21560-2 NASA-CASE-MSC-22080-1 NASA-CR-196004	p 265 p 262 p 264 p 264 p 264 p 264 p 261 p 261 p 261 p 261	N94-35688 N94-35266 * # N94-35345 * N94-35375 * # N94-35379 * # N94-35379 * # N94-35366 * * N94-35376 * *
EPA/600/A-94/036	p 265 p 262 p 264 p 264 p 264 p 261 p 261 p 261 p 261 p 261 p 261	N94-35688 N94-35266 * # N94-35345 * N94-35375 * # N94-35379 * # N94-35322 * N94-35366 * * N94-35266 * # N94-35270 * #
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391) NAS 1.26:196004 NAS 1.26:196030 NAS 1.26:196097 NASA-CASE-MSC-21560-2 NASA-CASE-MSC-22080-1 NASA-CR-196004 NASA-CR-196004 NASA-CR-196097	p 265 p 262 p 264 p 262 p 261 p 264 p 261 p 261 p 261 p 261 p 261	N94-35688 N94-35266 * # N94-35345 * N94-35266 * # N94-35379 * # N94-35266 * N94-35379 * # N94-35379 * # N94-35379 * # N94-35379 * #
EPA/600/A-94/036 LBL-34182 ME/ES-TR-94-1 NAS 1.21:7011(391) NAS 1.26:196004 NAS 1.26:196030 NAS 1.26:196097 NASA-CASE-MSC-21560-2 NASA-CASE-MSC-22060-1 NASA-CR-196004 NASA-CR-1960030 NASA-CR-196097 NASA-CR-196097	p 265 p 262 p 264 p 264 p 264 p 264 p 261 p 261 p 261 p 261 p 264 p 264 p 264 p 265	N94-35688 N94-35266 * # N94-35257 * # N94-35266 * # N94-35379 * # N94-35366 * N94-35366 * # N94-35379 * # N94-35379 * # N94-35379 * # N94-35379 * #


PB94-170537	p 264	N94-35600
PB94-170594	p 264	N94-36215
PB94-170644	p 262	N94-36217
PB94-170693	p 263	N94-36220
PB94-170750	p 261	N94-35601
	•	
RAL-94-016	p 264	N94-35600
	-	
US-PATENT-APPL-SN-213558	p 261	N94-35232 *
US-PATENT-APPL-SN-213559	p 261	N94-35232 *
US-PATENT-APPL-SN-317931	p 261	N94-35232 *
US-PATENT-APPL-SN-939791	p 261	N94-35232 *
US-PATENT-APPL-SN-996263	p 261	N94-35366 *
US-PATENT-CLASS-435-1	p 261	N94-35232 *
US-PATENT-CLASS-435-240.24	p 261	N94-35232 *
US-PATENT-CLASS-435-240.24	p 261	N94-35366 *
US-PATENT-CLASS-435-240.25	p 261	N94-35232 *
US-PATENT-CLASS-435-240.25	p 261	N94-35366 *
US-PATENT-CLASS-435-240.2	p 261	N94-35232 *
US-PATENT-CLASS-435-286	p 261	N94-35366 *
US-PATENT-CLASS-435-296	p 261	N94-35366 *
US-PATENT-CLASS-435-312	p 261	N94-35366 *
US-PATENT-CLASS-435-313	p 261	N94-35366 *
US-PATENT-CLASS-435-818	p 261	N94-35366 *
US-PATENT-5,308,764		N94-35232 *
US-PATENT-5,330,908	p 261	N94-35366 *
_		
USAARL-94-13	p 264	N94-35528
USAARL-94-14	p 265	N94-35659

ACCESSION NUMBER INDEX

AEROSPACE MEDICINE AND BIOLOGY / A Continuing Bibliography (Supplement 393)

October 1994

Typical Accession Number Index Listing



Listings in this index are arranged alphanumerically by accession number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

```
p 261
p 262
p 261
  A94-60694
A94-61012
A94-61173
  N94-35232 *
                                                                                                                                                     p 261
p 261
p 262
p 262
p 261
p 264
p 264
p 265
p 265
p 265
p 265
p 265
p 266
p 262
p 262
p 262
p 262
p 262
p 263
p 264
p 264
p 264
p 264
p 265
p 265
p 265
p 266
N94-35257 *#
N94-35266 *#
N94-35345 *
    N94-35366 *
       N94-35379 *#
    N94-35528
       N94-35601
       N94-35633 *#
    N94-35659
N94-35688
       N94-35692
    N94-35707
N94-35712
       N94-35716
    N94-36101
N94-36215
       N94-36217
    N94-36220
N94-36223
                                                                                                                                                        p 262
p 266
p 263
p 263
p 262
       N94-36269
       N94-36336
       N94-36338
       N94-36339
N94-36481
```

AVAILABILITY OF CITED PUBLICATIONS

OPEN LITERATURE ENTRIES (A94-60000 Series)

Inquiries and requests should be addressed to: CASI, 800 Elkridge Landing Road, Linthicum Heights, MD 21090-2934. Orders are also taken by telephone, (301) 621-0390, e-mail, help@sti.nasa.gov, and fax, (301) 621-0134. Please refer to the accession number when requesting publications.

STAR ENTRIES (N94-10000 Series)

One or more sources from which a document announced in *STAR* is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, and their addresses are listed on page APP-3. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source line.

- Avail: CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the STAR citation. Current values for the price codes are given in the tables on page APP-5.
 - NOTE ON ORDERING DOCUMENTS: When ordering publications from CASI, use the N accession number or other report number. It is also advisable to cite the title and other bibliographic identification.
- Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in *Energy Research Abstracts*. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on Engineering Sciences Data Unit (ESDU) topic categories can be obtained from ESDU International Ltd. Requesters in North America should use the Virginia address while all other requesters should use the London address, both of which are on page APP-3.
- Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.
- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.

- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from *Dissertation Abstracts* and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on page APP-3. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

FEDERAL DEPOSITORY LIBRARY PROGRAM

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the regional GPO libraries, arranged alphabetically by state, appears on the inside back cover of this issue. These libraries are *not* sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

PUBLIC COLLECTION OF NASA DOCUMENTS

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and * from ESA — Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.

STANDING ORDER SUBSCRIPTIONS

NASA SP-7011 supplements and annual index are available from the NASA Center for AeroSpace Information (CASI) on standing order subscription. Standing order subscriptions do not terminate at the end of a year, as do regular subscriptions, but continue indefinitely unless specifically terminated by the subscriber.

ADDRESSES OF ORGANIZATIONS

British Library Lending Division Boston Spa, Wetherby, Yorkshire England

Commissioner of Patents and Trademarks U.S. Patent and Trademark Office Washington, DC 20231

Department of Energy Technical Information Center P.O. Box 62 Oak Ridge, TN 37830

European Space Agency-Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy

Engineering Sciences Data Unit International P.O. Box 1633 Manassas. VA 22110

Engineering Sciences Data Unit International, Ltd. 251-259 Regent Street London, W1R 7AD, England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich-technische
Information mbH
76344 Eggenstein-Leopoldshafen, Germany

Her Majesty's Stationery Office P.O. Box 569, S.E. 1 London, England

NASA Center for AeroSpace Information 800 Elkridge Landing Road Linthicum Heights, MD 21090-2934

National Aeronautics and Space Administration Scientific and Technical Information Program (JTT) Washington, DC 20546-0001 National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

Pendragon House, Inc. 899 Broadway Avenue Redwood City, CA 94063

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, MI 48106

University Microfilms, Ltd. Tylers Green London, England

U.S. Geological Survey Library National Center MS 950 12201 Sunrise Valley Drive Reston, VA 22092

U.S. Geological Survey Library 2255 North Gemini Drive Flagstaff, AZ 86001

U.S. Geological Survey 345 Middlefield Road Menlo Park, CA 94025

U.S. Geological Survey Library Box 25046 Denver Federal Center, MS914 Denver, CO 80225

CASI PRICE TABLES

STANDARD PRICE DOCUMENTS

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	\$ 9.00	\$ 18.00
A02	12.50	25.00
A03	17.50	35.00
A04-A05	19.50	39.00
A06-A09	27.00	54.00
A10-A13	36.50	73.00
A14-A17	44.50	89.00
A18-A21	52.00	104.00
A22-A25	61.00	122.00
A99	Call For Price	Call For Price

MICROFICHE

PRICE CODE	NORTH AMERICAN PRICE	FOREIGN PRICE
A01	\$ 9.00	\$ 18.00
A02	12.50	25.00
A03	17.50	35.00
A04	19.50	39.00
A06	27.00	54.00
A10	36.50	73.00

IMPORTANT NOTICE

CASI Shipping and Handling Charges
U.S.—ADD \$3.00 per TOTAL ORDER
Canada and Mexico—ADD \$3.50 per TOTAL ORDER
All Other Countries—ADD \$7.50 per TOTAL ORDER
Does NOT apply to orders
requesting CASI RUSH HANDLING.
CASI accepts most credit/charge cards.

NASA Center for AeroSpace Information

800 Elkridge Landing Road Linthicum Heights, MD 21090-2934 Telephone: (301) 621-0390 E-mail: help@sti.nasa.gov

-maii: neip**e** sti.nasa.go Fax: (301) 621-0134

Rev. 2/94 APP-5

REPORT DOCUMENT PAGE

1.	Report No.	2. Government Acce	ssion No.	Recipient's Catalog	No.
	NASA SP-7011 (393)	1	į		
4.	Title and Subtitle	·		5. Report Date	
	Aerospace Medicine and Bio		October 1994		
	A Continuing Bibliography (S)	6. Performing Organiza	ation Code	
				JTT	_
7.	Author(s)			8. Performing Organiza	ation Report No.
				10. Work Unit No.	
9.	Performing Organization Name and Ad		_		
	NASA Scientific and Technic	cal Information F	rogram	11. Contract or Grant N	0.
12.	Sponsoring Agency Name and Address	3		13. Type of Report and	Period Covered
	National Aeronautics and Sp	ion	Special Public	ation	
	Washington, DC 20546-000			14. Sponsoring Agency	Code
					<u> </u>
15.	Supplementary Notes				
16.	Abstract				
	This report lists 29 reports, a	articles and othe	r documents rec	ently announced in	the NASA
	STI Database.				
İ					
	. •				
					
17.	Key Words (Suggested by Author(s))		18. Distribution State		
}	Aerospace Medicine		d - Unlimited		
	Bibliographies Biological Effects		Subject Cat	egory - 52	
]	Biological Effects				
19.	Security Classif. (of this report)	20. Security Classif	(of this page)	21. No. of Pages	22. Price
	Unclassified	Unclassifie	-	34	A03/HC
	— - -				

FEDERAL REGIONAL DEPOSITORY LIBRARIES

ALABAMA AUBURN UNIV. AT MONTGOMERY LIBRARY

Documents Dept 7300 University Dr. Montgomery, AL 36117-3596 (205) 244-3650 Fax: (205) 244-0678

UNIV. OF ALABAMA Amelia Gayle Gorgas Library

Govt. Documents Box 870266 Tuscaloosa, AL 35487-0266 (205) 348-6046 Fax: (205) 348-8833

ARIZONA DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Federal Documents Third Floor State Capitol 1700 West Washington Phoenix, AZ 85007 (602) 542-4121 Fax: (602) 542-4400, 542-4500

ARKANSAS ARKANSAS STATE LIBRARY

State Library Services One Capitol Mall Little Rock, AR 72201 (501) 682-2869

CALIFORNIA CALIFORNIA STATE LIBRARY

CALIFORNIA STATE LIBRARY Govt. Publications Section 914 Capitol Mall - P.O. Box 942837 Sacramento, CA 94237-0001 (916) 322-4572 Fax: (916) 324-8120

COLORADO UNIV. OF COLORADO - BOULDER

Norlin Library Govt. Publications Campus Box 184 Boulder, CO 83309-0184 (303) 492-8834 Fax: (303) 492-2185

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BS/GPD 1357 Broadway Denver, CO 80203 (303) 571-2135

CONNECTICUT **CONNECTICUT STATE LIBRARY**

231 Capitol Avenue Hartford, CT 06106 (203) 566-4971 Fax: (203) 566-3322

FLORIDA UNIV. OF FLORIDA LIBRARIES

Documents Dept. Library West Gainesville, FL 32611-2048 (904) 392-0366 Fax: (904) 392-7251

GEORGIAUNIV. OF GEORGIA LIBRARIES

Govt. Documents Dept. Jackson Street Athens, GA 30602 (404) 542-8949 Fax: (404) 542-6522

HAWAII UNIV. OF HAWAII

Hamilton Library
Govt. Documents Collection 2550 The Mall Honolulu, HI 96822 (808) 948-8230 Fax: (808) 956-5968

UNIV. OF IDAHO LIBRARY

Documents Section Moscow, ID 83843 (208) 885-6344 Fax: (208) 885-6817

ILLINOIS ILLINOIS STATE LIBRARY

Reference Dept. 300 South Second Springfield, IL 62701-1796 (217) 782-7596 Fax: (217) 524-0041

INDIANA

INDIANA STATE LIBRARY

Serials/Documents Section 140 North Senate Avenue Indianapolis, IN 46204 (317) 232-3678 Fax: (317) 232-3728

IOWA UNIV. OF IOWA LIBRARIES

Govt. Publications Dept. Washington & Madison Streets lowa City, IA 52242 (319) 335-5926 Fax: (319) 335-5830

KANSAS UNIV. OF KANSAS

Govt. Documents & Map Library 6001 Malatt Hall Lawrence, KS 66045-2800 (913) 864-4660 Fax: (913) 864-5380

KENTUCKY UNIV. OF KENTUCKY LIBRARIES

Govt. Publications/Maps Dept. Lexington, KY 40506-0039 (606) 257-3139 Fax: (606) 257-1563, 257-8379

LOUISIANA

LOUISIANA STATE UNIV.

Middleton Library Govt. Documents Dept Baton Rouge, LA 70803 (504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library Govt. Documents Dept. 305 Wisteria Street Ruston, LA 71270-9985 (318) 257-4962 Fax: (318) 257-2447

TRI-STATE DOCUMENTS DEPOS.

Raymond H. Fogler Library
Govt. Documents & Microforms Dept. Univ. of Maine Orono, ME 04469 (207) 581-1680

MARYLAND UNIV. OF MARYLAND

Hornbake Library Govt. Documents/Maps Unit College Park, MD 20742 (301) 454-3034 Fax: (301) 454-4985

MASSACHUSETTS BOSTON PUBLIC LIBRARY

Govt. Documents Dept. 666 Boylston Street Boston, MA 02117 (617) 536-5400 ext. 226 Fax: (617) 267-8273, 267-8248

MICHIGAN

DETROIT PUBLIC LIBRARY

5201 Woodward Avenue Detroit, MI 48202-4093 (313) 833-1440, 833-1409 Fax: (313) 833-5039

LIBRARY OF MICHIGAN

Govt. Documents Unit P.O. Box 30007 Lansing, MI 48909 (517) 373-0640 Fax: (517) 373-3381

MINNESOTA UNIV. OF MINNESOTA

Wilson Library Govt. Publications Library 309 19th Avenue South Minneapolis, MN 55455 (612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI UNIV. OF MISSISSIPPI

J.D. Williams Library Federal Documents Dept. 106 Old Gym Bldg. University, MS 38677 (601) 232-5857 Fax: (601) 232-5453

MISSOURI

UNIV. OF MISSOURI - COLUMBIA

Ellis Library Govt. Documents Columbia, MO 65201 (314) 882-6733 Fax: (314) 882-8044

MONTANA UNIV. OF MONTANA

Maureen & Mike Mansfield Library Documents Div. Missoula, MT 59812-1195 (406)243-6700 Fax: (406) 243-2060

NEBRASKA UNIV. OF NEBRASKA - LINCOLN

D.L. Love Memorial Library Documents Dept. Lincoln, NE 68588 (402) 472-2562

NEVADA

UNIV. OF NEVADA

Reno Library Govt. Publications Dept. Reno, NV 89557 (702) 784-6579 Fax: (702) 784-1751

NEW JERSEY NEWARK PUBLIC LIBRARY U.S. Documents Div.

5 Washington Street -P.O. Box 630 Newark, NJ 07101-0630 (201) 733-7812 Fax: (201) 733-5648

NEW MEXICO UNIV. OF NEW MEXICO

General Library Govt. Publications Dept. Albuquerque, NM 87131-1466 (505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue Santa Fe, NM 87503 (505) 827-3826 Fax: (505) 827-3820

NEW YORK NEW YORK STATE LIBRARY

Documents/Gift & Exchange Section Federal Depository Program Cultural Education Center Albany, NY 12230 (518) 474-5563 Fax: (518) 474-5786

NORTH CAROLINA UNIV. OF NORTH CAROLINA -**CHAPEL HILL**

CB#3912, Davis Library BA/SS Dept. - Documents Chapel Hill, NC 27599 (919) 962-1151 Fax: (919) 962-0484

NORTH DAKOTA NORTH DAKOTA STATE UNIV. LIB. Documents Office

Fargo, ND 58105 (701) 237-8886 Fax: (701) 237-7138 In cooperation with Univ. of North Dakota, Chester Fritz Library Grand Forks

ОНЮ STATE LIBRARY OF OHIO

Documents Dept. 65 South Front Street Columbus, OH 43266 (614) 644-7051 Fax: (614) 752-9178

OKLAHOMAOKLAHOMA DEPT. OF LIBRARIES U.S. Govt. Information Div.

200 NE 18th Street Oklahoma City, OK 73105-3298 (405) 521-2502, ext. 252, 253 Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library Documents Dept. Stillwater, OK 74078 (405) 744-6546 Fax: (405) 744-5183

OREGON

PORTLAND STATE UNIV.

Millar Library 934 SW Harrison - P.O. Box 1151 Portland, OR 97207 (503) 725-3673 Fax: (503) 725-4527

PENNSYLVANIA STATE LIBRARY OF PENN.

Govt. Publications Section Walnut St. & Commonwealth Ave. -P.O. Box 1601 Harrisburg, PA 17105 (717) 787-3752

SOUTH CAROLINA CLEMSON UNIV.

Cooper Library Public Documents Unit Clemson, SC 29634-3001 (803) 656-5174 Fax: (803) 656-3025 In cooperation with Univ. of South Carolina, Thomas Cooper Library,

TENNESSEE MEMPHIS STATE UNIV. LIBRARIES

Govt. Documents Memphis, TN 38152 (901) 678-2586 Fax: (901) 678-2511

TFXAS **TEXAS STATE LIBRARY**

United States Documents P.O. Box 12927 - 1201 Brazos Austin, TX 78711 (512) 463-5455 Fax: (512) 463-5436

TEXAS TECH, UNIV. LIBRARY

Documents Dept. Lubbock, TX 79409 (806) 742-2268 Fax: (806) 742-1920

UTAH **UTAH STATE UNIV.**

Merrill Library & Learning Resources Center, UMC-3000 Documents Dept. Logan, UT 84322-3000 (801) 750-2684 Fax: (801) 750-2677

VIRGINIA

UNIV. OF VIRGINIA Aldermman Library

Govt. Documents Charlottesville, VA 22903-2498 (804) 824-3133 Fax: (804) 924-4337

WASHINGTON WASHINGTON STATE LIBRARY

Document Section Olympia, WA 98504-0111 (206) 753-4027 Fax: (206) 753-3546

WEST VIRGINIA WEST VIRGINIA UNIV. LIBRARY

Govt. Documents Section P.O. Box 6069 Morgantown, WV 26506 (304) 293-3640

WISCONSIN

ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt. Publications Section 816 State Street Madison, WI 53706 (608) 262-2781 Fax: (608) 262-4711 In cooperation with Univ. of Wisconsin -Madison, Memorial Library

MILWAUKEE PUBLIC LIBRARY

Documents Div. 814 West Wisconsin Avenue Milwaukee, WI 53233 (414) 278-2167 Fax: (414) 278-2137 POSTMASTER Address Correction Requested (Sections 137 and 159 Post Manual)

National Aeronautics and Space Administration Code JTT Washington, DC 20546-0001

Official Business Penalty for Private Use, \$300 BULK RATE
POSTAGE & FEES PAID
NASA
PERMIT No. G-27